Table & Floor Scraper, 260mm, Blue





Remove stubborn food debris from floors and other surfaces with this Table and Floor Scraper. Features a stainless-steel blade and can be used with any Vikan handle.

Technical Data

Material Polypropylene Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Length Width Height Not Weight Not Weight Cubik metre Quantity Cubik metre Quantity Cubik metre Quantity Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration	Item Number	29103
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Roughth Width 260 mm Width Height Net Weight Net Weight Cubik metre Cub	Blade Thickness	1 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Res Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Residuntity Per Layer (Pallet) Length Width 260 mm Height 155 mm Net Weight cardboard Cubik metre Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Max. pH-value in Usage Concentration 10 Pcs. Yes A ves	Material	Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity per Pallet (80 x 120 x 180-200 cm) Regulatity Per Layer (Pallet) No Height Net Weight No Weight cardboard Tare total Cous Weight Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature 120 °C Max. drying temperature Min. pt-value in usage concentration Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number Soundation A No No No No No No No No No No No No No	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Rough Per Layer (Pallet) Length 32 mm Width 260 mm Height Net Weight Net Weight Net Weight Net Weight O.26 kg Gross Weight Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Tyes No Ses	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Rountity Per Layer (Pallet) Rength Width 260 mm Height 155 mm Net Weight Net Weight 0.26 kg Gross Weight 0.02 kg Gross Weight 0.02 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in usage Concentration Max. pH-value in Usage Concentration Types Source S	FDA compliant raw material (CFR 21)	Yes
California Proposition 65 Compliant Use of phthalates and bisphenol A No Is Halal and Kosher compliant Pess Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Rough Pess Quantity Per Layer (Pallet) Rough Width Reight Reight Reight Reight Recommended sterilisation temperature (Autoclave) Max usage temperature (non food contact) Min. pH-value in usage concentration Max. pH-value in usage Concentration Moss Quantity Resconded Sterilisation temperature (Autoclave) Max. pH-value in Usage Concentration Moss Pcs. No.	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol A Is Halal and Kosher compliant Is Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Roy Pos. R	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Rength Width Constitute the sign of the s	California Proposition 65 Compliant	Yes
Box Quantity 10 Pcs.	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 80 Pcs. Length 32 mm Width 260 mm Height 155 mm Net Weight 0.26 kg Weight cardboard 0.02 kg Gross Weight Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 120 °C Max. drying temperature Min. pH-value in usage Concentration 10.5 pH Max. pH-value in Usage Concentration 5705020291036	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)80 Pcs.Length32 mmWidth260 mmHeight155 mmNet Weight0.26 kgWeight cardboard0.02 kgTare total0.02 kgGross Weight0.28 kgCubik metre0.00129 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291036	Box Quantity	10 Pcs.
Length 32 mm Width 260 mm Height 155 mm Net Weight 0.26 kg Weight cardboard 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperatures -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291036	Quantity per Pallet (80 x 120 x 180-200 cm)	800 Pcs
Width 260 mm Height 155 mm Net Weight 0.26 kg Weight cardboard 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature (120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291036	Quantity Per Layer (Pallet)	80 Pcs.
Net Weight 0.26 kg Weight cardboard 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291036	Length	32 mm
Net Weight cardboard 0.02 kg Weight cardboard 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature (120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291036	Width	260 mm
Weight cardboard 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291036	Height	155 mm
Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291036	Net Weight	0.26 kg
Gross Weight Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020291036	Weight cardboard	0.02 kg
Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291036	Tare total	0.02 kg
Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020291036	Gross Weight	0.28 kg
Max usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291036	Cubik metre	0.00129 M3
Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Ctin-13 Number 170 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature ³ Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Ctin-13 Number -20 °C 120 °C	Max usage temperature (food contact)	170 °C
Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Ctin-13 Number 120 °C 2 pH 120 °C 5705020291036	Max usage temperature (non food contact)	170 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291036	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291036	Max. drying temperature	120 °C
Gtin-13 Number 5705020291036	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
	Gtin-13 Number	5705020291036
31IN-14 Number (Box quantity) 15705020291033	GTIN-14 Number (Box quantity)	15705020291033
Customs Tariff No. 82159910	Customs Tariff No.	82159910
Country of origin Denmark	Country of origin	Denmark

intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.