## Tank Brush, 205 mm, Hard, Blue





Clean tanks, vats and drain gulleys with this Tank Brush, which can be used with any Vikan handle.

## **Technical Data**

Material Polypropylene Polyester Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Height	Item Number	70373
Complies with (EC) 1935/2004 on food contact materials ' Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA complies with UK 2019 No. 704 on food contact materials ' Yes Complies with UK 2019 No. 704 on food contact materials ' Yes Meets the REACH Regulation (EC) No. 1907/2006 ' Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant ' Yes Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight 90,47 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE) Weight cardboard 0.022 kg Gross Weight 0.5 kg Gross Weight 0.5 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (mon food contact) 100 °C Min. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020703737 GTIN-14 Number (Box quantity) 15705020703734	Visible bristle length	40 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Yes  Meets the REACH Regulation (EC) No. 1907/2006  Yes  Use of phthalates and bisphenol A  No  Is Halal and Kosher compliant  Yes  Box Quantity  10 Pcs.  Quantity per Pallet (80 x 120 x 200 cm)  480 Pcs  Quantity Per Layer (Pallet)  60 Pcs.  Length  205 mm  Width  130 mm  Height  100 mm  Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard  7.5 kg  Gross Weight  7.5 kg  Gross Weight  7.5 kg  Cubik metre  7.002665  Max usage temperature (Dishwasher)  80 °C  Max usage temperature (Dishwasher)  93 °C  Max usage temperature (non food contact)  Min. usage temperature  100 °C  Min. usage temperature  100 °C  Min. usage temperature  100 °C  Min. pH-value in usage Concentration  10.5 pH  Gtin-13 Number  5705020703737  GTIN-14 Number (Box quantity)  15705020703734	Material	Polyester Stainless Steel (AISI
Manufacturing Practice         FDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10         Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480         Pcs.           Quantity Per Layer (Pallet)         60         Pcs.           Length         205         mm           Width         130         mm           Height         100         mm           Net Weight         0.47         kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078         kg           Weight cardboard         0.022         kg           Gross Weight         0.5         kg           Cubik metre         0.002665         M3           Recommended sterilisation temperature (Autoclave)         121         °C           Max. cleaning temperature (food contact)         80         °C           Max usage temperature (non food contact)         80         °C           Min. usage temperature         100	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs           Quantity Per Layer (Pallet)         60 Pcs.           Length         205 mm           Width         130 mm           Height         100 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Gross Weight         0.5 kg           Cubik metre         0.00265 M3           Gross Weight         0.5 kg           Cubik metre         0.00265 M3           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gti	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10         Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480         Pcs.           Quantity Per Layer (Pallet)         60         Pcs.           Length         205         mm           Width         130         mm           Height         100         mm           Net Weight         0.47         kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078         kg           Weight cardboard         0.022         kg           Gross Weight         0.5         kg           Cubik metre         0.002665         M3           Recommended sterilisation temperature (Autoclave)         121         °C           Max. cleaning temperature (food contact)         80         °C           Max usage temperature (food contact)         80         °C           Max. usage temperature (non food contact)         100         °C           Min. usage temperature         20         °C           Max. drying temperature         20         °C	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs           Quantity Per Layer (Pallet)         60 Pcs.           Length         205 mm           Width         130 mm           Height         100 mm           Net Weight         0.47 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature         100 °C           Min. usage temperature         2 pH           Max. pH-value in usage concentration         10.5 pH           Gtin-13 Number         5705020703737           GTIN-14 Number (Box quantity)         15705020703734	Complies with UK 2019 No. 704 on food contact materials	Yes
S Halal and Kosher compliant   Yes     Box Quantity   10   Pcs.     Quantity per Pallet (80 x 120 x 200 cm)   480   Pcs     Quantity Per Layer (Pallet)   60   Pcs.     Length   205   mm     Width   130   mm     Height   100   mm     Net Weight   0.47   kg     Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)     Weight cardboard   0.022   kg     Gross Weight   0.5   kg     Cubik metre   0.002665   M3     Recommended sterilisation temperature (Autoclave)   121   °C     Max. cleaning temperature (Dishwasher)   93   °C     Max usage temperature (food contact)   100   °C     Max. usage temperature (non food contact)   100   °C     Min. pH-value in usage concentration   2   pH     Max. pH-value in usage Concentration   5705020703737     GTIN-14 Number (Box quantity)   15705020703734	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs           Quantity Per Layer (Pallet)         60 Pcs.           Length         205 mm           Width         130 mm           Height         100 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703737           GTIN-14 Number (Box quantity)         15705020703734	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs           Quantity Per Layer (Pallet)         60 Pcs.           Length         205 mm           Width         130 mm           Height         100 mm           Net Weight         0.47 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Tare total         0.028 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         5705020703737           GTIN-14 Number (Box quantity)         15705020703734	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)         60 Pcs.           Length         205 mm           Width         130 mm           Height         100 mm           Net Weight         0.47 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703737           GTIN-14 Number (Box quantity)         15705020703734	Box Quantity	10 Pcs.
Length         205 mm           Width         130 mm           Height         100 mm           Net Weight         0.47 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703737           GTIN-14 Number (Box quantity)         15705020703734	Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs
Width         130 mm           Height         100 mm           Net Weight         0.47 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703734	Quantity Per Layer (Pallet)	60 Pcs.
Height         100 mm           Net Weight         0.47 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703737           GTIN-14 Number (Box quantity)         15705020703734	Length	205 mm
Net Weight         0.47 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703737           GTIN-14 Number (Box quantity)         15705020703734	Width	130 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3  Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 2 pH Max. drying temperature (105 pH Max. pH-value in usage Concentration 10.5 pH Gtin-13 Number 5705020703737  GTIN-14 Number (Box quantity) 15705020703734	Height	100 mm
Weight cardboard         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703737           GTIN-14 Number (Box quantity)         15705020703734	Net Weight	0.47 kg
Tare total 0.0298 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703737 GTIN-14 Number (Box quantity) 15705020703734	Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.0078 kg
Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703737 GTIN-14 Number (Box quantity) 15705020703734	Weight cardboard	0.022 kg
Cubik metre 0.002665 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 80 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature³ -20 °C  Max. drying temperature 100 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020703737  GTIN-14 Number (Box quantity) 15705020703734	Tare total	0.0298 kg
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  93 °C  Max usage temperature (food contact)  80 °C  Max usage temperature (non food contact)  100 °C  Min. usage temperature  100 °C  Max. drying temperature  100 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  5705020703737	Gross Weight	0.5 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703737GTIN-14 Number (Box quantity)15705020703734	Cubik metre	0.002665 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703737GTIN-14 Number (Box quantity)15705020703734	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703737GTIN-14 Number (Box quantity)15705020703734	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> Max. drying temperature  Min. pH-value in usage concentration  Max. pH-value in Usage Concentration  Chin-13 Number  Max. pH-value in Usage Concentration  Topic pH  Concentration  Topic pH  Topic pH	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020703737  GTIN-14 Number (Box quantity) 15705020703734	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020703737  GTIN-14 Number (Box quantity) 15705020703734	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration       10.5 pH         Gtin-13 Number       5705020703737         GTIN-14 Number (Box quantity)       15705020703734	Max. drying temperature	100 °C
Gtin-13 Number       5705020703737         GTIN-14 Number (Box quantity)       15705020703734	Min. pH-value in usage concentration	2 pH
<b>GTIN-14 Number (Box quantity)</b> 15705020703734	Max. pH-value in Usage Concentration	10.5 pH
	Gtin-13 Number	5705020703737
Customs Tariff No. 96039099	GTIN-14 Number (Box quantity)	15705020703734
	Customs Tariff No.	96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below  $0^{\circ}$  Celsius.