## Padholder, 230 mm, , Yellow





Secure cleaning pads with a lockable pad holder. Can be used with any Vikan handle, enabling users to safely clean floors, under equipment, stainless steel mezzanines, and white PVC walls.

## **Technical Data**

Complies with (EC) 1935/2004 on food contact materials No Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials No Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 230 mm Width 95 mm Net Weight Dag (Recycling Symbol "4" Low Density Polyethylene (LOPE) Weight cardboard 0.0227 kg Gross Weight 0.234 kg Gross Weight 0.266 kg Cubik metre 0.001639 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 9.0 °C Max usage temperature (non food contact) 100 °C Max usage temperature (min. pH-value in usage concentration 2 pH Max. pH-value in usage concentration 3 pH Gtin-13 Number 5705020550062 Customs Tariff No. 39241000	Item Number	55006
Produced according to EU Regulation 2023/2008/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  No Meets the REACH Regulation (EC) No. 1907/2006  Yes Use of pithalates and bisphenol A  Is Halal and Kosher compliant  Yes Box Quantity  10 Pcs. Quantity per Pallet (80 x 120 x 200 cm)  Quantity Per Layer (Pallet)  Length  230 mm  Width  95 mm  Net Weight  Net Weight  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard  7.227 kg  Gross Weight  Cubik metre  0.001639 M3  Recommended sterillsation temperature (Autoclave)  Max usage temperature (Dishwasher)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  Max. drying temperature  Max. drying temperature  Max. pH-value in usage Concentration  Max. pH-value in Usage Concentration  Max. pH-value in Usage Concentration  S pH  Gtin.13 Number  5705020550065  GTIN.14 Number (Box quantity)  15705020550062  Customs Tariff No.  39241000	Material	Stainless Steel (AISI 304)
### Part	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Yes Use of phthalates and bisphenol A  Is Halal and Kosher compliant  Box Quantity  10 Pcs.  Quantity per Pallet (80 x 120 x 200 cm)  Quantity Per Layer (Pallet)  Length  230 mm  Width  95 mm  Height  75 mm  Net Weight  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard  0.027 kg  Gross Weight  Cubik metre  0.001639 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  Max. pH-value in usage Concentration  8 pH  Gtin-13 Number  5705020550062  Customs Tariff No.  39241000	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         1040 Pcs.           Quantity Per Layer (Pallet)         80 Pcs.           Length         230 mm           Width         95 mm           Height         75 mm           Net Weight         0.234 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0047 kg           Weight cardboard         0.0227 kg           Tare total         0.0227 kg           Gross Weight         0.26 kg           Cubik metre         0.001639 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature on food contact)         100 °C           Min. usage temperature         20 °C           Max. drying temperature         2 pH           Max. pH-value in usage concentration         8 pH           Max. pH-value in Usage Concentration         8 pH           Gtin-13 Number<	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         1040 Pcs.           Quantity Per Layer (Pallet)         80 Pcs.           Length         230 mm           Width         95 mm           Height         75 mm           Net Weight         0.234 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0047 kg           Weight cardboard         0.0227 kg           Tare total         0.0274 kg           Gross Weight         0.26 kg           Cubik metre         0.001639 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         2 °C           Max. drying temperature         2 °C           Max. drying temperature         2 °C           Max. ph-value in usage concentration         8 pH           Max. ph-value in Usage Concentration         8 pH           Gtin-13 Number         570	Complies with UK 2019 No. 704 on food contact materials	No
S Halal and Kosher compliant   Yes     Box Quantity   10   Pcs.     Quantity per Pallet (80 x 120 x 200 cm)   1040   Pcs     Quantity Per Layer (Pallet)   80   Pcs.     Length   230   mm     Width   95   mm     Height   75   mm     Net Weight   0.234   kg     Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)     Weight cardboard   0.0227   kg     Tare total   0.0274   kg     Gross Weight   0.26   kg     Cubik metre   0.001639   M3     Recommended sterilisation temperature (Autoclave)   121   °C     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Max usage temperature (non food contact)   100 °C     Min. usage temperature (non food contact)   100 °C     Min. usage temperature (non food contact)   100 °C     Min. usage temperature (non food contact)   100 °C     Max. drying temperature (non food contact)   100 °C     Max. drying temperature (non food contact)   100 °C     Min. usage temperature (non food contact)   100 °C     Min. usage temperature (non food contact)   100 °C     Min. usage temperature (non food contact)   100 °C     Max. drying temperature (non food contact)   100 °C     Min. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   8 pH     Gtin-13 Number   5705020550065     GTIN-14 Number (Box quantity)   15705020550062     Customs Tariff No. 39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         1040 Pcs           Quantity Per Layer (Pallet)         80 Pcs.           Length         230 mm           Width         95 mm           Height         75 mm           Net Weight         0.234 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0047 kg           Weight cardboard         0.0227 kg           Tare total         0.0274 kg           Gross Weight         0.26 kg           Cubik metre         0.001639 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Max. pH-value in usage concentration         8 pH           Gtin-13 Number         5705020550065           GTIN-14 Number (Box quantity)         15705020550062           Customs Tariff No.         39241000	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm)         1040 Pcs           Quantity Per Layer (Pallet)         80 Pcs.           Length         230 mm           Width         95 mm           Height         75 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0047 kg           Weight cardboard         0.0227 kg           Tare total         0.0274 kg           Gross Weight         0.26 kg           Cubik metre         0.001639 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         8 pH           Gtin-13 Number         5705020550065           GTIN-14 Number (Box quantity)         15705020550062           Customs Tariff No.         39241000	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)         80 Pcs.           Length         230 mm           Width         95 mm           Height         75 mm           Net Weight         0.234 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0047 kg           Weight cardboard         0.0227 kg           Tare total         0.0274 kg           Gross Weight         0.26 kg           Cubik metre         0.001639 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         8 pH           Gtin-13 Number         5705020550065           GTIN-14 Number (Box quantity)         15705020550062           Customs Tariff No.         39241000	Box Quantity	10 Pcs.
Length         230 mm           Width         95 mm           Height         75 mm           Net Weight         0.234 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0047 kg           Weight cardboard         0.0227 kg           Tare total         0.0274 kg           Gross Weight         0.26 kg           Cubik metre         0.001639 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Max. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         8 pH           Gtin-13 Number         5705020550065           GTIN-14 Number (Box quantity)         15705020550062           Customs Tariff No.         39241000	Quantity per Pallet (80 x 120 x 200 cm)	1040 Pcs
Width         95 mm           Height         75 mm           Net Weight         0.234 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0047 kg           Weight cardboard         0.0227 kg           Tare total         0.0274 kg           Gross Weight         0.26 kg           Cubik metre         0.001639 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         8 pH           Gtin-13 Number         5705020550065           GTIN-14 Number (Box quantity)         15705020550062           Customs Tariff No.         39241000	Quantity Per Layer (Pallet)	80 Pcs.
Height         75 mm           Net Weight         0.234 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0047 kg           Weight cardboard         0.0227 kg           Tare total         0.0274 kg           Gross Weight         0.26 kg           Cubik metre         0.001639 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         8 pH           Gtin-13 Number         5705020550065           GTIN-14 Number (Box quantity)         15705020550062           Customs Tariff No.         39241000	Length	230 mm
Net Weight         0.234 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0047 kg           Weight cardboard         0.0227 kg           Tare total         0.0274 kg           Gross Weight         0.26 kg           Cubik metre         0.001639 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         8 pH           Gtin-13 Number         5705020550065           GTIN-14 Number (Box quantity)         15705020550062           Customs Tariff No.         39241000	Width	95 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0047 kg           Weight cardboard         0.0227 kg           Tare total         0.0274 kg           Gross Weight         0.26 kg           Cubik metre         0.001639 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         8 pH           Gtin-13 Number         5705020550065           GTIN-14 Number (Box quantity)         15705020550062           Customs Tariff No.         39241000	Height	75 mm
Weight cardboard         0.0227 kg           Tare total         0.0274 kg           Gross Weight         0.26 kg           Cubik metre         0.001639 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         8 pH           Gtin-13 Number         5705020550065           GTIN-14 Number (Box quantity)         15705020550062           Customs Tariff No.         39241000	Net Weight	0.234 kg
Tare total         0.0274 kg           Gross Weight         0.26 kg           Cubik metre         0.001639 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature³         -20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         8 pH           Gtin-13 Number         5705020550065           GTIN-14 Number (Box quantity)         15705020550062           Customs Tariff No.         39241000	Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.0047 kg
Gross Weight         0.26 kg           Cubik metre         0.001639 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature³         -20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         8 pH           Gtin-13 Number         5705020550065           GTIN-14 Number (Box quantity)         15705020550062           Customs Tariff No.         39241000	Weight cardboard	0.0227 kg
Cubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550065GTIN-14 Number (Box quantity)15705020550062Customs Tariff No.39241000	Tare total	0.0274 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550065GTIN-14 Number (Box quantity)15705020550062Customs Tariff No.39241000	Gross Weight	0.26 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550065GTIN-14 Number (Box quantity)15705020550062Customs Tariff No.39241000	Cubik metre	0.001639 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550065GTIN-14 Number (Box quantity)15705020550062Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  8 pH  Gtin-13 Number  5705020550065  GTIN-14 Number (Box quantity)  15705020550062  Customs Tariff No.	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature 3 -20 °C  Max. drying temperature 120 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 8 pH  Gtin-13 Number 5705020550065  GTIN-14 Number (Box quantity) 15705020550062  Customs Tariff No. 39241000	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550065GTIN-14 Number (Box quantity)15705020550062Customs Tariff No.39241000	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 8 pH  Gtin-13 Number 5705020550065  GTIN-14 Number (Box quantity) 15705020550062  Customs Tariff No. 39241000	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration8 pHGtin-13 Number5705020550065GTIN-14 Number (Box quantity)15705020550062Customs Tariff No.39241000	Max. drying temperature	120 °C
Gtin-13 Number       5705020550065         GTIN-14 Number (Box quantity)       15705020550062         Customs Tariff No.       39241000	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705020550062 Customs Tariff No. 39241000	Max. pH-value in Usage Concentration	8 pH
Customs Tariff No. 39241000	Gtin-13 Number	5705020550065
Customs Tariff No. 39241000	GTIN-14 Number (Box quantity)	15705020550062
Country of origin Lithuania	Customs Tariff No.	39241000
	Country of origin	Lithuania

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.