

# SAFETY DATA SHEET

# SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

# 1.1. Product identifier

# Product name: NOCOLYSE FOOD

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Surface disinfectant (biocide PT2, PT3, PT4) – professional use.

Ready-to-use solution, used as bactericidal, bacteriophagicidal, fungicidal, yeasticidal, virucidal, mycobactericidal and sporicidal disinfectant. For use with devices conform to the Oxy'Pharm concept

### Use descriptor system (REACH):

SU20 (Health services)

SU22 (Professional uses)

# 1.3. Details of the supplier of the safety data sheet

Registered company name: Address: Phone: E-mail : http://www.oxypharm.net/ OXY'PHARM 829 Rue Marcel Paul, 94500 Champigny sur Marne, FRANCE. +33.1.45.18.78.70 commercial@oxypharm.net

# 1.4. Emergency telephone number:

Country	Emergency telephone number	Website
UK - England, Wales	111	http://www.nhs.uk/
UK - Scotland	111	http://www.nhs24.com/
UK - Northern Ireland	18000 or 999	http://www.gpoutofhours.hscni.net/
Ireland	01 809 2166	http://www.poisons.ie/

# Other emergency numbers

In case of emergency, call nearest poison center or 112.

# **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1. Classification of the substance or mixture

### In compliance with Regulation (EC) No.1272/2008 and its amendments.

Eye irritation, Category 2 (Eye Irrit. 2, H319).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# 2.2. Label elements

# In compliance with Regulation (EC) No.1272/2008 and its amendments.

Hazard pictograms:	V
Signal Word:	Warning
Hazard statements:	
H319	Causes serious eye irritation.
Precautionary stateme	nts:
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.
Additional labelling:	None

# 2.3. Other hazards

The mixture does not contain any substances classified as 'Substances of Very High Concern' (SVHC) as defined by criteria of article 57 and published as per article 59 of REACH (Regulation EC No.1907/2006) at an individual concentration  $\geq 0.1\%$  - list published by the European CHemicals Agency (ECHA): (<u>http://echa.europa.eu/fr/candidate-list-table</u>).

The mixture does not contain any PBT or vPvB substances as defined in annex XIII of the REACH Regulation (EC) No.1907/2006.

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

# **SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1. Substances

Not applicable (mixture).

# 3.2. Mixtures

### Composition:

\*\* Specific limits:

INDEX	CAS No.	CE No.	Name	Pictogram	Classification	% w/w/
008-003-00-9 772		7722-84-1 231-765-0	Hydrogen peroxide*/**	SGH03	H271	7.9
	7700 04 4			SGH05	H302	
	1122-04-1			SGH07	H314	7.9
				Danger	H332	

\* Substance for which a workplace exposure limit exists.

 $\begin{array}{l} H271: C \geq 70 \ \% \\ H272: \ 50 \ \% \leq C < 70 \ \% \\ H314 \ (1A): C \geq 70 \ \% \\ H314 \ (1B): \ 50 \ \% \leq C < 70 \ \% \\ H315: \ 35 \ \% \leq C < 50 \ \% \\ H318: \ 8 \ \% \leq C < 50 \ \% \\ H319: \ 5 \ \% \leq C < 8 \ \% \\ H335: \ C \geq 35 \ \% \end{array}$ 

Other data: No data available.

# SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing if the victim is unconscious.

### 4.1. Description of first aid measures

In the event of exposure by inhalation:

In case of discomfort, remove the exposed person to fresh air. Keep warm and at rest. Consult a doctor if symptoms appear.

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water holding the eyelids open. Consult an ophthalmologist in case of pain, redness or visual impairment.

### In the event of splashes or contact with skin:

Remove any soiled or splashed clothing immediately. Wash skin with soap and water.

### In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Keep the exposed person at rest. Do not induce vomiting. Consult a doctor showing the label.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available for the product.

Information for hydrogen peroxide 50% (CAS No.7722-84-1) are reported below:

### Effect on the skin:

Causes caustic burns. With increasing contact length, local erythema or extreme irritation (whitening) up to blistering (caustic burn) can occur.

### Effect on the eyes:

Extreme irritation up to cauterisation. Can cause severe conjunctivitis, cornea damage or irreversible eye damage. Symptoms may occur with delay.

### Effect when swallowed:

Swallowing can lead to bleeding of the mucosa in the mouth, oesophagus and stomach.

The rapid releasing of oxygen can cause distension and bleeding of the mucosa in the stomach and lead to severe damage of the internal organs, especially in the event of greater intake of the product.

### Effect when inhaled:

Inhalation of vapour/aerosols can lead to irritation of the respiratory tract and cause inflammation of the respiratory tract and pulmonary oedema. Symptoms may occur with delay.

### 4.3. Indication of any immediate medical attention and special treatment needed

Specific and immediate treatment:

No data available.

Information for the doctor:

No data available.

# SECTION 5: FIREFIGHTING MEASURES

Contains 7.9% of hydrogen peroxide (oxidising substance).

### 5.1. Extinguishing media

#### Suitable methods of extinction

- In the event of a fire, use:
- sprayed water or water mist
- foam
- multipurpose ABC powder / BC powder
- carbon dioxide (CO<sub>2</sub>)

# Unsuitable methods of extinction

- In the event of a fire, do not use:
- water jet

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- oxygen (O<sub>2</sub>)
- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

# 5.3. Advice for firefighters

No data available.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult safety advice of sections 7 and 8.

### For non first aid worker

Avoid any contact with the eyes. In case of accidental release of lar

In case of accidental release of large quantities, evacuate staff and allow access only to trained operators equipped with self-contained breathing apparatus.

Ensure adequate ventilation.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with detergent, avoid the use of solvents.

### 6.4. Reference to other sections

Refer to sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

#### Always wash hands after handling.

Remove and wash contaminated clothing before re-using. Ensure adequate ventilation, especially in confined areas.

### Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid any contact with the eyes.

Packages which have been opened must be reclosed carefully and stored in an upright position.

### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

## Storage/Packaging

Keep in original container tightly closed in a dry, well-ventilated area at ambient temperature between 5° and 30°C. Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

No data available

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

### Occupational exposure limits:

CAS No.	CE No.	Name	Country	Occupational exposure limits	Source
		UK	Limit value (8h) = 1 ppm - 1.4 mg/m <sup>3</sup> Limit value (short term) = 2 ppm - 2.8 mg/m <sup>3</sup>		
7722-84-1	231-765-0	Hydrogen peroxide	Ireland	Limit value (8h) = 1 ppm - 1.5 mg/m <sup>3</sup> Limit value (short term) = 2* ppm – 3* mg/m <sup>3</sup> *15 minutes reference period	GESTIS ILV

**Biological limits:** 

No data available.

### Derived no effect level (DNEL) or derived minimum effect level (DMEL):

Hydrogen peroxide (CAS No.7722-84-1):

Worker:

Inhalation / acute toxicity – local effects: 3 mg/m<sup>3</sup> Inhalation / long term toxicity– local effects: 1.4 mg/m<sup>3</sup>

Consumer:

Inhalation / acute toxicity – local effects: 1.93 mg/m<sup>3</sup> Inhalation / long term toxicity– local effects: 0.21 mg/m<sup>3</sup>

# Predicted no effect concentration (PNEC):

Hydrogen peroxide (CAS No.7722-84-1):	
Fresh water:	0,0126 mg/L
Marine water:	0,0126 mg/L
Water – intermittent releases:	0,0138 mg/L
Sewage treatment plant:	4,66 mg/L
Fresh water sediment:	0,47 mg/kg (dry weight)
Marine sediment:	0,47 mg/kg (dry weight)
Soil:	0,0023 mg/kg (dry weight)

### 8.2. Exposure controls

### Suitable technical inspections:

Ensure adequate ventilation, especially in confined areas.

### Personal protection measures, such as personal protective equipment

- No specific personal protective equipment is considered necessary for the final use of this product. In case personal protective equipment are used (manufacturing):
  - use personal protective equipment that is clean and has been properly maintained.
  - Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using.

Ensure adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Before handling large quantities, wear safety goggles with protective sides accordance with standard EN166.

### - Hand protection

Use suitable protective gloves in accordance with standard EN374 in case of repeated or prolonged exposure.

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

### - Respiratory protection

Ensure adequate ventilation, especially in confined areas.

### - Thermal risks

Not applicable.

Exposure controls linked to environmental protection

No data available.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

### General information:

Physical state:	Liquid (fluid)			
Odour:	No characteristic odour			
Colour:	Colorless			
Important health, safety and environmental information				
pH (mixture):	3.5 ± 0.5 (CIPAC MT 75.3)			
pH (1% dilution):	6 ± 1 (CIPAC MT 75.3)			
Melting point/melting range:	Not determined			
Freezing point:	Not determined			
Boiling point/boiling range:	Not determined			
Flash point:	Boiling above 110°C without flashing (A.9)			
Evaporation rate:	Not determined			
Flammability:	Not determined			
Lower/upper flammability limits:	Not determined			
Lower/upper explosive limits:	Not determined			
Vapour pressure:	Not determined			
Vapour density:	Not determined			
Density:	$D_{4}^{20} = 1.026 - volumetric mass = 1.025 kg/L (OECD No.109)$			
Solubility:	Not determined			
Octanol/water partition coefficient:	Not determined			
Self-ignition temperature:	Not determined			
Decomposition point:	Not determined			
Viscosity:	0.74 mm²/s at 20°C - 0.52 mm²/s at 40°C (OECD No.114)			
Explosive properties:	Not determined			
Oxidising properties:	Not determined			
9.2 Other information				

#### 9.2. Other information

Surface tension (mixture):

33.3 mN/m (OECD No.115)

# SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

# No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide, carbon dioxide fumes, nitrogen oxides.

Hydrogen peroxide (7.9% in product) is an oxidizing and reactive substance. The commercial product is stabilized to reduce the risk of decomposition.

Risk of decomposition to heat.

Risk of exothermic decomposition and formation of oxygen in case of contact with incompatible or combustible substances. Mixing with organic substances (solvents) can induce explosive properties.

### 10.4. Conditions to avoid

Avoid:

- direct sunlight, high temperatures.

### 10.5. Incompatible materials

#### Avoid contact with:

- metals, metal salts, acids, bases, reducing agents, flammable substances, organic solvents.

### 10.6. Hazardous decomposition products

- The thermal decomposition may release/form
- oxygen (O<sub>2</sub>)
- carbon monoxide (CO)

- carbon dioxide (CO<sub>2</sub>)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

Splashes in the eyes may cause irritation and reversible damage

### 11.1. Information on toxicological effects

### 11.1.1. Substances

Not applicable (mixture).

### 11.1.2. Mixture

No toxicological data available for the mixture.

The product is classified as eye irritant (Eye irritation, Category 2 (Eye Irrit. 2, H319), classification by conventional calculation method).

#### Acute toxicity:

The product is not classified (conventional method by calculation).

Hydrogen peroxide 50% (CAS No.7722-84-1):

Oral, rat : LD<sub>50</sub> > 225 mg/kg (OECD No.401)

Inhalation, rat: LC<sub>50</sub> > 0.17 mg/L (4h) – no mortality (US EPA)

Hydrogen peroxide 70% (CAS No.7722-84-1):

Dermal, rabbit: LD<sub>50</sub> > 6 500 mg/kg

Hydrogen peroxide 35% (CAS No.7722-84-1):

Dermal, rabbit: LD<sub>50</sub> > 2 000 mg/kg (US EPA)

#### Skin corrosion/skin irritation:

The product is not classified (conventional method by calculation).

Hydrogen peroxide (CAS No.7722-84-1):

H314 (1A): C ≥ 70 % H314 (1B): 50 % ≤ C < 70 % H315: 35 % ≤ C < 50 %

#### Serious damage to eyes/eye irritation:

The product is classified as eye irritant (Eye irritation, Category 2 (Eye Irrit. 2, H319), classification by conventional calculation method). Hydrogen peroxide (CAS No.7722-84-1):

H318: 8 % ≤ C < 50 % H319: 5 % ≤ C < 8 %

#### Respiratory or skin sensitisation:

The product does not contain any substance classified as sensitising.

#### Germ cell mutagenicity:

No data available for the mixture, however no hazard is expected with regard to its components.

Hydrogen peroxide (CAS No.7722-84-1):

#### Genotoxicity in vitro:

Bacterial reverse mutation assay *S. typhimurium / E. coli*: positive and negative with or without metabolic activation Chromosomal aberration mammalian cells: positive without metabolic activation (OECD N°473) Genetic mutation in mammal cells: positive without metabolic activation (OECD N°476)

Hydrogen peroxide 35% (CAS No.7722-84-1):

Genotoxicity in vivo:

Micronucleus test Mouse intraperitoneal: negative (OECD No.474)

#### Carcinogenicity:

No data available for the mixture, however no hazard is expected with regard to its components.

#### Reproductive toxicant:

No data available for the mixture, however no hazard is expected with regard to its components.

#### Specific target organ systemic toxicity - single exposure:

The product is not classified (conventional method by calculation).

Hydrogen peroxide (CAS No.7722-84-1):

H335; C ≥ 35 %

### Specific target organ systemic toxicity - repeated exposure:

The product does not contain any substance classified for this hazard.

Hydrogen peroxide 35% (CAS No.7722-84-1):

Oral, mouse, 90 days: NOEL = 37 mg/kg (female) - 26 mg/kg (male) (OECD No.408)

Changes of parameters of the blood, body weight development negative, Irritative effect (gastrointestinal tract)

## Aspiration hazard:

The product does not contain any substance classified for this hazard.

Symptoms related to the physical, chemical and toxicological characteristics No data available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure No data available.

Interactive effects No data available.

Absence of specific data No data available.

Other information No data available.

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

# 12.1.1. Substances

Not applicable (mixture).

### 12.1.2. Mixture

No aquatic toxicity information is available for the mixture.

This mixture is not classified as hazardous for the environment (classification by calculation).

No environmental damage is known or foreseeable under normal conditions of use.

Hydrogen peroxide (CAS No.7722-84-1):

Acute toxicity:

Fish: semi-static test, *Pimephales promelas:* Invertebrates: semi-static test, *Daphnia pulex:* Algae: static test, *Skeletonema costatum:* Bacteria: activated sludge test: Chronic toxicity:

Invertebrates: flow-through, Daphnia magna:

$$\begin{split} & LC_{50} = 16,4 \text{ mg/L (96 h)} \\ & EC_{50} = 2,4 \text{ mg/L (48 h)} \\ & \text{NOEC} = 0,63 \text{ mg/L (72 h)} - \text{growth rate} \\ & EC_{50} = 466 \text{ mg/L (30 min);} > 1000 \text{ mg/L (3 h) (OECD No.209)} \end{split}$$

tees flow through Dev

h, *Daphnia magna*: NOEC = 0,63 mg/L (21 days)

# 12.2. Persistence and degradability

No data available for the mixture.

Hydrogen peroxide (CAS No.7722-84-1): readily degradable.

# 12.3. Bioaccumulative potential

No data available for the mixture.

Hydrogen peroxide (CAS No.7722-84-1): no bioaccumulative potential (rapid decomposition into oxygen and water).

### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

The mixture does not contain any PBT nor vPvB substance.

### 12.6. Other adverse effects

No data available.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC, Decision 2014/955/EU and Directive (EU) 2015/1127.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Completely empty container. Keep label(s) on container. Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

# **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- Regulation EC No.1272/2008 and its modifications

# Biocidal regulation (EU) No. 528/2012

Surface disinfectant (biocide PT2, PT3, PT4) – professional use. Hydrogene peroxide , CAS No.7722-84-1 : 7.9%

### Container information:

No data available.

# Particular provisions:

No data available.

# 15.2. Chemical safety assessment

No data available.

# **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

# Wording of the phrases mentioned in section 3:

H271 May cause fire or explosion; strong oxidiser.

- H272 May intensify fire; oxidiser.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage. H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

PBT: Persistent, bioaccumulable and toxic.

vPvB: Very persistent, very bioaccumulable.

SVHC: Substances of very high concern.

### **Revision:**

A vertical line in the left margin indicates a change to the previous version. This version replaces all previous versions.

Changes from version No.1 to version No.2:

addition of physico-chemical results in section 9, change of logo and other minor corrections (format, wording).