## 55002 Padholder, 230 mm, , Green





Secure cleaning pads with a lockable pad holder. Can be used with any Vikan handle, enabling users to safely clean floors, under equipment, stainless steel mezzanines, and white PVC walls.

## **Technical Data**

MaterialPolypropylene Stainless Steel (AISI 304) NylonComplies with (EC) 1935/2004 on food contact materials*NoProduced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsNoMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)1040 PcsQuantity Per Layer (Pallet)80 Pcs.Length200 mmHeight75 mmNet Weight0.0227 kgWeight cardboard0.0227 kgGross Weight0.027 kgGross Weight0.027 kgCost emperature (Dishwasher)93 °CMax usage temperature (Ios contact)100 °CMax usage temperature (Ios contact)100 °CMax usage temperature (Ios contact)100 °CMax usage temperature (Ios contact)20 PrMax usage temperature20 PrGross Veight2 PrMax usage temperature2 PrMax usage temperature2 PrMax usage temperature3 PrGuin-14 Number5 70	Item Number	55002
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsNoMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)1040 Pcs.Quantity Per Layer (Pallet)80 Pcs.Length230 mmWidth95 mmHeight75 mmNet Weight0.234 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0047 kgCubik metre0.001639 M3Recommended sterillsation temperature (Autoclave)121 °CMax usage temperature (Iois washer)93 °CMax usage temperature (food contact)100 °CMin. usage temperature200 °CMin. usage temperature20 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Material	Stainless Steel (AISI 304)
Manufacturing Practice   FDA compliant raw material (CFR 21) Yes   Complies with UK 2019 No. 704 on food contact materials No   Meets the REACH Regulation (EC) No. 1907/2006 Yes   Use of phthalates and bisphenol A No   Is Halal and Kosher compliant Yes   Box Quantity 10 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 1040 Pcs   Quantity Per Layer (Pallet) 80 Pcs.   Length 230 mm   Width 95 mm   Height 75 mm   Net Weight 0.234 kg   Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE) 0.0047 kg   Gross Weight 0.26 kg   Cubik metre 0.001639 M3   Recommended sterilisation temperature (Autoclave) 121 "C   Max usage temperature (Dishwasher) 93 "C   Max usage temperature 20 "C   Max. rpH-value in usage concentration 8 pH   Gtin-13 Number 5705020550027   GTIN-14 Number (Box quantity) 1570502055024	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
Complies with UK 2019 No. 704 on food contact materialsNoMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)1040 Pcs.Quantity Per Layer (Pallet)80 Pcs.Length230 mmWidth95 mmHeight75 mmNet Weight0.234 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0047 kgGross Weight0.227 kgTare total0.0274 kgGubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (Ion food contact)100 °CMin. usage temperature120 °CMin. usage temperature20 °CMax. drying temperature20 °CMax. drying temperature20 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)1570502055024Customs Tariff No.39241000		Yes
Meets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)1040 PcsQuantity Per Layer (Pallet)80 Pcs.Length230 mmWidth95 mmHeight75 mmNet Weight0.234 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0047 kgWeight cardboard0.0227 kgTare total0.0274 kgGross Weight0.26 kgCubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)2 pHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)1040 PcsQuantity Per Layer (Pallet)80 Pcs.Length230 mmWidth95 mmHeight75 mmNet Weight0.234 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0047 kg(LDPE)0.027 kgTare total0.027 kgGross Weight0.26 kgCubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (non food contact)20 °CMax. drying temperature20 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHCtin-13 Number5705020550027CTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Complies with UK 2019 No. 704 on food contact materials	No
Is Halal and Kosher compliantYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)1040 Pcs.Quantity Per Layer (Pallet)80 Pcs.Length230 mmWidth95 mmHeight75 mmNet Weight0.234 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0047 kgWeight cardboard0.0227 kgTare total0.0274 kgGross Weight0.26 kgCubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)1040 PcsQuantity Per Layer (Pallet)80 Pcs.Length230 mmWidth95 mmHeight75 mmNet Weight0.234 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0047 kgWeight cardboard0.0227 kgTare total0.0274 kgGross Weight0.26 kgCubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage concentration2 pHMax. pH-value in usage concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm)1040 PcsQuantity Per Layer (Pallet)80 Pcs.Length230 mmWidth95 mmHeight75 mmNet Weight0.234 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0047 kgWeight cardboard0.0227 kgTare total0.0274 kgGross Weight0.26 kgCubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)80 Pcs.Length230 mmWidth95 mmHeight75 mmNet Weight0.234 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0047 kgWeight cardboard0.0227 kgTare total0.0227 kgGross Weight0.26 kgCubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Box Quantity	10 Pcs.
Length230 mmWidth95 mmHeight75 mmNet Weight0.234 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0047 kgWeight cardboard0.0227 kgTare total0.0274 kgGross Weight0.26 kgCubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Quantity per Pallet (80 x 120 x 200 cm)	1040 Pcs
Width95 mmHeight75 mmNet Weight0.234 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0047 kgWeight cardboard0.0227 kgTare total0.0274 kgGross Weight0.26 kgCubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Quantity Per Layer (Pallet)	80 Pcs.
Height75 mmNet Weight0.234 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0047 kgWeight cardboard0.0227 kgTare total0.0274 kgGross Weight0.26 kgCubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Length	230 mm
Net Weight0.234 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0047 kgWeight cardboard0.0227 kgTare total0.0274 kgGross Weight0.26 kgCubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Width	95 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene0.0047 kg(LDPE)0.0227 kgWeight cardboard0.0227 kgTare total0.0274 kgGross Weight0.26 kgCubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Height	75 mm
(LDPE)0.027kgWeight cardboard0.0227kgTare total0.0274kgGross Weight0.26kgCubik metre0.001639M3Recommended sterilisation temperature (Autoclave)121°CMax. cleaning temperature (Dishwasher)93°CMax usage temperature (food contact)100°CMax usage temperature (non food contact)100°CMin. usage temperature120°CMin. pH-value in usage concentration2pHMax. pH-value in Usage Concentration8pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.3924100039241000	Net Weight	0.234 kg
Tare total0.0274 kgGross Weight0.26 kgCubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000		0.0047 kg
Gross Weight0.26 kgCubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Weight cardboard	0.0227 kg
Cubik metre0.001639 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Tare total	0.0274 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Gross Weight	0.26 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Cubik metre	0.001639 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration8 pHGtin-13 Number5705020550027GTIN-14 Number (Box quantity)15705020550024Customs Tariff No.39241000	Max. drying temperature	120 °C
Gtin-13 Number   5705020550027     GTIN-14 Number (Box quantity)   15705020550024     Customs Tariff No.   39241000	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity)   15705020550024     Customs Tariff No.   39241000	Max. pH-value in Usage Concentration	8 pH
Customs Tariff No. 39241000	Gtin-13 Number	5705020550027
	GTIN-14 Number (Box quantity)	15705020550024
Country of origin Lithuania	Customs Tariff No.	39241000
	Country of origin	Lithuania

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.