## Hand Scoop, Metal Detectable, 0.5 Litre, Blue





This ergonomically designed metal-detectable Hand Scoop is lightweight and durable. A one-piece construction prevents bacterial contamination, and a smooth surface allows for easy cleaning. Ideal for moving ingredients in food production areas. Metal detection can be tested using Vikan test kit (11113).

## **Technical Data**

Material    Polypropylene Metal & X-Ray detectable additive	Item Number	56693
Mefal & X-Ray detectable additive  Complies with (EC) 1935/2004 on food contact materials¹ Yes  Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21) Yes  Complies with UK 2019 No. 704 on food contact materials Yes  Meets the REACH Regulation (EC) No. 1907/2006 Yes  Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes  Box Quantity 15 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 120 Pcs.  Length 310 mm  Width 85 mm  Height 100 mm  Net Weight 20.135 kg  Gross Weight 20.155 kg  Gross Weight 20.155 kg  Cubik metre 20.002635 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max usage temperature (Dishwasher) 30 °C  Max usage temperature (Dishwasher) 310 °C  Min. usage temperature (non food contact) 100 °C  Min. usage temperature (non food contact) 100 °C  Min. usage temperature (Food contact) 100 °C  Min. usage temperature (Tool contact) 100 °C  Min. pH-value in usage concentration 10.5 pH  Metal Detectable 7es  Gtin-13 Number 5705022032316  GTIN-14 Number (Box quantity) 15705028032324  Customs Tariff No. 39241000	Content	0.5 Litre
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Yes  Meets the REACH Regulation (EC) No. 1907/2006  Yes  Use of phthalates and bisphenol A  Is Halal and Kosher compliant  Box Quantity  15 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Length  310 mm  Width  85 mm  Height  100 mm  Net Weight  40.135 kg  Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Cubik metre  40.002635 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (non food contact)  Max. usage temperature (non food contact)  Max. pH-value in usage concentration  Max. pH-value in usage Concentration  Metal Detectable  Yes  Gtin-13 Number  5705022032316  GTIN-14 Number (Box quantity)  15705028032324  Customs Tariff No.  39241000	Material	Metal & X-Ray
Manufacturing Practice         Yes           FDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         15         Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         960         Pcs           Quantity Per Layer (Pallet)         120         Pcs.           Length         310         mm           Width         85         mm           Height         100         mm           Net Weight         0.135         kg           Weight cardboard (Recycling symbol "20" PAP)         0.0157         kg           Gross Weight         0.15         kg           Cubik metre         0.002635         M3           Cubik metre         0.002635         M3           Chass Weight cardboard (Recycling symbol "20" PAP)         121         °C           Max. cleaning temperature (Dishwasher)         93         °C           Max. cleaning temperature (Dishwasher)         93         °C           Max usage temperature (food contact	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Length         310 mm           Width         85 mm           Height         100 mm           Net Weight         0.0157 kg           Gross Weight         0.0157 kg           Gross Weight         0.15 kg           Cubik metre         0.002635 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Metal Detectable         Yes           GTIN-14 Number (Box quantity)         157050220323216           GTIN-14 Number (Box quantity)         15705022032324	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Length         310 mm           Width         85 mm           Height         100 mm           Net Weight         0.135 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0157 kg           Tare total         0.0157 kg           Gross Weight         0.15 kg           Cubik metre         0.002635 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. pH-value in usage concentration         2 pH           Metal Detectable         Yes           Gtin-13 Number         5705022032316           GTIN-14 Number (Box quantity)         15705028032324           Customs Tariff No.         39241000	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Length         310 mm           Width         85 mm           Height         100 mm           Net Weight         0.135 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0157 kg           Gross Weight         0.15 kg           Cubik metre         0.002635 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature³         -20 °C           Min. pH-value in usage concentration         2 pH           Metal Detectable         Yes           Gtin-13 Number         5705022032316           GTIN-14 Number (Box quantity)         15705028032324           Customs Tariff No.         39241000	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant         Yes           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Length         310 mm           Width         85 mm           Height         100 mm           Net Weight         0.135 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0157 kg           Gross Weight         0.15 kg           Cubik metre         0.002635 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature³         -20 °C           Min. pH-value in usage concentration         2 pH           Metal Detectable         Yes           Gtin-13 Number         5705022032316           GTIN-14 Number (Box quantity)         15705028032324           Customs Tariff No.         39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Length         310 mm           Width         85 mm           Height         100 mm           Net Weight         0.135 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0157 kg           Tare total         0.0157 kg           Gross Weight         0.15 kg           Cubik metre         0.002635 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature <sup>3</sup> -20 °C           Min. pH-value in usage concentration         10.5 pH           Metal Detectable         Yes           Gtin-13 Number         5705022032316           GTIN-14 Number (Box quantity)         15705028032324           Customs Tariff No.         39241000	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Length         310 mm           Width         85 mm           Height         100 mm           Net Weight         0.135 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0157 kg           Gross Weight         0.15 kg           Cubik metre         0.002635 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Metal Detectable         Yes           Gtin-13 Number         5705022032316           GTIN-14 Number (Box quantity)         15705028032324           Customs Tariff No.         39241000	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)         120 Pcs.           Length         310 mm           Width         85 mm           Height         100 mm           Net Weight         0.135 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0157 kg           Tare total         0.0157 kg           Gross Weight         0.15 kg           Cubik metre         0.002635 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature <sup>3</sup> -20 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Metal Detectable         Yes           Gtin-13 Number         5705022032316           GTIN-14 Number (Box quantity)         15705028032324           Customs Tariff No.         39241000	Box Quantity	15 Pcs.
Length         310 mm           Width         85 mm           Height         100 mm           Net Weight         0.135 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0157 kg           Tare total         0.0157 kg           Gross Weight         0.15 kg           Cubik metre         0.002635 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature³         -20 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Metal Detectable         Yes           Gtin-13 Number         5705022032316           GTIN-14 Number (Box quantity)         15705028032324           Customs Tariff No.         39241000	Quantity per Pallet (80 x 120 x 180-200 cm)	960 Pcs
Width         85 mm           Height         100 mm           Net Weight         0.135 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0157 kg           Tare total         0.0157 kg           Gross Weight         0.15 kg           Cubik metre         0.002635 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Metal Detectable         Yes           Gtin-13 Number         5705022032316           GTIN-14 Number (Box quantity)         15705028032324           Customs Tariff No.         39241000	Quantity Per Layer (Pallet)	120 Pcs.
Height         100 mm           Net Weight         0.135 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0157 kg           Tare total         0.0157 kg           Gross Weight         0.15 kg           Cubik metre         0.002635 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature³         -20 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Metal Detectable         Yes           Gtin-13 Number         5705022032316           GTIN-14 Number (Box quantity)         15705028032324           Customs Tariff No.         39241000	Length	310 mm
Net Weight         0.135 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0157 kg           Tare total         0.0157 kg           Gross Weight         0.15 kg           Cubik metre         0.002635 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature³         -20 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Metal Detectable         Yes           Gtin-13 Number         5705022032316           GTIN-14 Number (Box quantity)         15705028032324           Customs Tariff No.         39241000	Width	85 mm
Weight cardboard (Recycling symbol "20" PAP)         0.0157 kg           Tare total         0.0157 kg           Gross Weight         0.15 kg           Cubik metre         0.002635 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature3         -20 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Metal Detectable         Yes           Gtin-13 Number         5705022032316           GTIN-14 Number (Box quantity)         15705028032324           Customs Tariff No.         39241000	Height	100 mm
Tare total 0.0157 kg Gross Weight 0.15 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Metal Detectable Yes Gtin-13 Number 5705022032316 GTIN-14 Number (Box quantity) 15705028032324 Customs Tariff No. 39241000	Net Weight	0.135 kg
Gross Weight0.15 kgCubik metre0.002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032316GTIN-14 Number (Box quantity)15705028032324Customs Tariff No.39241000	Weight cardboard (Recycling symbol "20" PAP)	0.0157 kg
Cubik metre0.002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032316GTIN-14 Number (Box quantity)15705028032324Customs Tariff No.39241000	Tare total	0.0157 kg
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Metal Detectable  Yes  Gtin-13 Number  5705022032316  GTIN-14 Number (Box quantity)  15705028032324  Customs Tariff No.	Gross Weight	0.15 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032316GTIN-14 Number (Box quantity)15705028032324Customs Tariff No.39241000	Cubik metre	0.002635 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032316GTIN-14 Number (Box quantity)15705028032324Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032316GTIN-14 Number (Box quantity)15705028032324Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> -20 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Metal Detectable Yes  Gtin-13 Number 5705022032316  GTIN-14 Number (Box quantity) 15705028032324  Customs Tariff No. 39241000	Max usage temperature (food contact)	100 °C
Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Metal Detectable Yes  Gtin-13 Number 5705022032316  GTIN-14 Number (Box quantity) 15705028032324  Customs Tariff No. 39241000	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration10.5 pHMetal DetectableYesGtin-13 Number5705022032316GTIN-14 Number (Box quantity)15705028032324Customs Tariff No.39241000	Min. usage temperature <sup>3</sup>	-20 °C
Metal Detectable         Yes           Gtin-13 Number         5705022032316           GTIN-14 Number (Box quantity)         15705028032324           Customs Tariff No.         39241000	Min. pH-value in usage concentration	2 pH
Gtin-13 Number       5705022032316         GTIN-14 Number (Box quantity)       15705028032324         Customs Tariff No.       39241000	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705028032324 Customs Tariff No. 39241000	Metal Detectable	Yes
Customs Tariff No. 39241000	Gtin-13 Number	5705022032316
	GTIN-14 Number (Box quantity)	15705028032324
Country of origin Denmark	Customs Tariff No.	39241000
· · · · · · · · · · · · · · · · · · ·	Country of origin	Denmark

intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.