Tank Brush, 205 mm, Medium, Blue





Clean tanks, vats and drain gulleys with this Tank Brush, which can be used with any Vikan handle. Not as temperature resistant as 7037x

Technical Data

Visible bristle length 40 mm Material Polypropylene Stainless Steel (AISI 304)* Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes EDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Not Weight 0.4 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0036 kg Weight cardboard 0.036 kg Gross Weight 0.4 kg Gubik metre 0.002665 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (non food contact) 60 °C Min. ph-va	Item Number	70393
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight 0.4 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDE) 0.0078 kg Weight cardboard 0.036 kg Tare total 0.044 kg Gross Weight 0.44 kg Max. cleaning temperature (Dishwasher) 85 °C Max. usage temperature (non food contact) 40 °C Max. usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Max. drying temp	Visible bristle length	40 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.036 kg Tare total 0.043 kg Gross Weight 0.44 kg Ubik metre 0.002665 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (non food contact) 40 °C Min. usage temperature 70 °C Min. usage temperature 70 °C Min. pH-value in usage Concentration 10.5 pH Gtin-13 Number 5705020703	Material	Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight 0.4 kg Weight Cardboard 0.036 kg Tare total 0.048 kg Gross Weight 0.44 kg Cubik metre 0.00266 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (non food contact) 40 °C Min. usage temperature* 20 °C Min. pH-value in usage concentration 2 pH Max. ph-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703935 GTIN-14 Number (Box quantity) 15705020703935 Custom	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 0.0 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.036 kg Tare total 0.048 kg Gross Weight 0.044 kg Cubik metre 0.002665 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ 2.0 °C Max. drying temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703935		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.036 kg Tare total 0.048 kg Gross Weight 0.44 kg Cubik metre 0.002665 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature* 20 °C Max. drying temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703935 GTIN-14 Number (Box quantity) 15705020703935 Customs Tar	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight 0.4 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.036 kg Tare total 0.0438 kg Gross Weight 0.0438 kg Cubik metre 0.002665 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703935 GTIN-14 Number (Box quantity) 15705020703932 Customs Tariff No. 96039099	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight 0.4 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.036 kg Tare total 0.0438 kg Gross Weight 0.0438 kg Cubik metre 0.002665 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Min. usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020703935 GTIN-14 Number (Box quantity) 15705020703932 Customs Tariff No. 96039099	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight 0.4 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.036 kg Tare total 0.0438 kg Gross Weight 0.44 kg Cubik metre 0.002665 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703935 GTIN-14 Number (Box quantity) 15705020703932 Customs Tariff No. 96039099	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.036 kg Tare total 0.0438 kg Gross Weight 0.44 kg Cubik metre 0.002665 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Min. usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703935 GTIN-14 Number (Box quantity) 15705020703932 Customs Tariff No. 96039099	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.036 kg Tare total 0.0438 kg Gross Weight 0.44 kg Cubik metre 0.002665 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Min. usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Max. drying temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703935 GTIN-14 Number (Box quantity) 15705020703932 Customs Tariff No. 96039099	Box Quantity	10 Pcs.
Length 205 mm Width 130 mm Height 100 mm Net Weight 0.4 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.036 kg Tare total 0.0438 kg Gross Weight 0.44 kg Cubik metre 0.002665 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Max. drying temperature 70 °C Min. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020703935 GTIN-14 Number (Box quantity) 15705020703932 Customs Tariff No. 96039099	Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs
Width 130 mm Height 100 mm Net Weight 0.4 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.036 kg Tare total 0.0438 kg Gross Weight 0.44 kg Cubik metre 0.002665 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Max. drying temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703935 GTIN-14 Number (Box quantity) 15705020703932 Customs Tariff No. 96039099	Quantity Per Layer (Pallet)	60 Pcs.
Height 100 mm Net Weight 0.4 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.036 kg Tare total 0.0438 kg Gross Weight 0.44 kg Cubik metre 0.002665 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ -20 °C Max. drying temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703935 GTIN-14 Number (Box quantity) 15705020703932 Customs Tariff No. 96039099	Length	205 mm
Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.4 kg Weight cardboard 0.036 kg Tare total 0.0438 kg Gross Weight 0.44 kg Cubik metre 0.002665 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ -20 °C Max. drying temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703935 GTIN-14 Number (Box quantity) 15705020703932 Customs Tariff No. 96039099	Width	130 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard0.036 kgTare total0.0438 kgGross Weight0.44 kgCubik metre0.002665 M3Max. cleaning temperature (Dishwasher)85 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)60 °CMin. usage temperature70 °CMax. drying temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703935GTIN-14 Number (Box quantity)15705020703932Customs Tariff No.96039099	Height	100 mm
Weight cardboard 0.036 kg Tare total 0.0438 kg Gross Weight 0.44 kg Cubik metre 0.002665 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ -20 °C Max. drying temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703935 GTIN-14 Number (Box quantity) 15705020703932 Customs Tariff No. 96039099	Net Weight	0.4 kg
Tare total 0.0438 kg Gross Weight 0.44 kg Cubik metre 0.002665 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ -20 °C Max. drying temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703935 GTIN-14 Number (Box quantity) 15705020703932 Customs Tariff No. 96039099		0.0078 kg
Gross Weight0.44 kgCubik metre0.002665 M3Max. cleaning temperature (Dishwasher)85 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)60 °CMin. usage temperature³-20 °CMax. drying temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703935GTIN-14 Number (Box quantity)15705020703932Customs Tariff No.96039099	Weight cardboard	0.036 kg
Cubik metre0.002665 M3Max. cleaning temperature (Dishwasher)85 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)60 °CMin. usage temperature³-20 °CMax. drying temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703935GTIN-14 Number (Box quantity)15705020703932Customs Tariff No.96039099	Tare total	0.0438 kg
Max. cleaning temperature (Dishwasher)85 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)60 °CMin. usage temperature³-20 °CMax. drying temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703935GTIN-14 Number (Box quantity)15705020703932Customs Tariff No.96039099	Gross Weight	0.44 kg
Max usage temperature (food contact)40 °CMax usage temperature (non food contact)60 °CMin. usage temperature³-20 °CMax. drying temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703935GTIN-14 Number (Box quantity)15705020703932Customs Tariff No.96039099	Cubik metre	0.002665 M3
Max usage temperature (non food contact)60 °CMin. usage temperature3-20 °CMax. drying temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703935GTIN-14 Number (Box quantity)15705020703932Customs Tariff No.96039099	Max. cleaning temperature (Dishwasher)	85 °C
Min. usage temperature3-20 °CMax. drying temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703935GTIN-14 Number (Box quantity)15705020703932Customs Tariff No.96039099	Max usage temperature (food contact)	40 °C
Max. drying temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703935GTIN-14 Number (Box quantity)15705020703932Customs Tariff No.96039099	Max usage temperature (non food contact)	60 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703935GTIN-14 Number (Box quantity)15705020703932Customs Tariff No.96039099	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703935 GTIN-14 Number (Box quantity) 15705020703932 Customs Tariff No. 96039099	Max. drying temperature	70 °C
Gtin-13 Number 5705020703935 GTIN-14 Number (Box quantity) 15705020703932 Customs Tariff No. 96039099	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705020703932 Customs Tariff No. 96039099	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff No. 96039099	Gtin-13 Number	5705020703935
	GTIN-14 Number (Box quantity)	15705020703932
Country of origin Denmark	Customs Tariff No.	96039099
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.