56113 Ergonomic shovel, 271 mm, Blue





Use this durable Ergonomic Shovel to move large amounts of food waste or food ingredients. Ergonomically designed with the user's working position in mind, this product is ideal for working at floor level as well as shovelling from container to container.

Technical Data

| Shovel Blade Size, L x W x H340 x 270 x 75 mmMaterialPolypropylene Anodised AluminiumComplies with (EC) 1935/2004 on food contact materials'YesProduced according to EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.UK 2072052Box Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Quantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight to at (200 x 200 cm)0.053 kg(LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.9 kgCubik metre0.069376 M3Recommended sterillisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (Ion food contact)100 °CMax usage temperature (Ion food contact)100 °CMax usage temperature food contact)100 °CMax usage temperature2 pHMax. pH-value in usage concentration2 pHMax. pH-value in usage concentration2 pHMax. pH-value in usage concentration39241000Country of origin | Item Number | 56113 |
|---|---|-------------------|
| Anddised Aluminium Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 1280 mm Width 271 mm Height 200 mm Net Weight 1.56 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature | Shovel Blade Size, L x W x H | 340 x 270 x 75 mm |
| Produced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.UK 2072052Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE)0.053 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 "CMax usage temperature (Ioishwasher)93 "CMax usage temperature (non food contact)100 "CMi. usage temperature-20 "CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGuetoms Tariff No.39241000 | Material | |
| Manufacturing PracticeFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.UK 2072052Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature200 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. PH-value in Usage Concentration2 pHCustoms Tariff No.39241000 | Complies with (EC) 1935/2004 on food contact materials ¹ | Yes |
| Complies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.UK 2072052Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Doishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature20 °CMax. drying temperature20 °CMax. pl-value in usage concentration2 pHMax. pl-value in Usage Concentration2 pHMax. pl-value in Usage Concentration2 pHMax. Drivent Strontift No.39241000 | | Yes |
| Meets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.UK 2072052Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNe Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Ioshwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (Ioshwasher)20 °CMax. drying temperature20 °CMax. drying temperature20 °CMax. pl-value in usage concentration2 pHMax. pl-value in Usage Concentration3 9241000 | FDA compliant raw material (CFR 21) | Yes |
| Use of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.UK 2072052Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (fod contact)100 °CMax usage temperature (fod contact)100 °CMin. usage temperature in food contact)100 °CMin. usage temperature food contact)100 °CMax. drying temperature20 °CMax. drying temperature2 pHMax. pH-value in usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration39241000 | Complies with UK 2019 No. 704 on food contact materials | Yes |
| Is Halal and Kosher compliantYesDesign Registration No.UK 2072052Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration3 9241000 | Meets the REACH Regulation (EC) No. 1907/2006 | Yes |
| Design Registration No.UK 2072052Box Quantity1Pcs.Quantity per Pallet (80 x 120 x 200 cm)60PcsQuantity Per Layer (Pallet)0Pcs.Length1280 mm1280 mmWidth271 mm156 kgWeight1.56 kg156 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration3 9241000 | Use of phthalates and bisphenol A | No |
| Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature120 °CMin. usage concentration2 pHMax. pH-value in usage concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Is Halal and Kosher compliant | Yes |
| Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration39241000 | Design Registration No. | UK 2072052 |
| Quantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (food contact)100 °CMin. usage temperature120 °CMin. usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Box Quantity | 1 Pcs. |
| Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Quantity per Pallet (80 x 120 x 200 cm) | 60 Pcs |
| Width271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Quantity Per Layer (Pallet) | 0 Pcs. |
| Height200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax. usage temperature a-20 °CMin. usage temperature120 °CMin. usage temperature120 °CMax. drying temperature120 °CMax. drying temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Length | 1280 mm |
| Net Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Width | 271 mm |
| Weight bag (Recycling Symbol "4" Low Density Polyethylene0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Height | 200 mm |
| (LDPE)Weight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Net Weight | 1.56 kg |
| Tare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | | 0.053 kg |
| Gross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Weight cardboard | 0.1748 kg |
| Cubik metre0.069376M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Tare total | 0.2278 kg |
| Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Gross Weight | 1.79 kg |
| Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Cubik metre | 0.069376 M3 |
| Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Recommended sterilisation temperature (Autoclave) | 121 °C |
| Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Max. cleaning temperature (Dishwasher) | 93 °C |
| Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Max usage temperature (food contact) | 100 °C |
| Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Max usage temperature (non food contact) | 100 °C |
| Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Min. usage temperature ³ | -20 °C |
| Max. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561139Customs Tariff No.39241000 | Max. drying temperature | 120 °C |
| Gtin-13 Number 5705020561139 Customs Tariff No. 39241000 | Min. pH-value in usage concentration | 2 pH |
| Customs Tariff No. 39241000 | Max. pH-value in Usage Concentration | 10.5 pH |
| | Gtin-13 Number | 5705020561139 |
| Country of origin Denmark | Customs Tariff No. | 39241000 |
| | Country of origin | Denmark |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.