Bucket, 6 Litre, Yellow





This durable 6-litre bucket can be used for cleaning or food storage. The bucket has a wide drip-free spout, a sturdy stainless steel hanger, and a bottom hand grip that is raised from the base and calibrated for a variety of measuring units. The flat side prevents spillage, and the bucket has its own wall bracket (16200) for storage.

Technical Data

Alaterial Polypropylene Stainles Steel (AISI 304) Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS intentionally added Complies with Halal and Kosher PFAS intentionally added Complies with Polypropylene (PP) Complies with Halal and Kosher PFAS intentionally added Complies with EL Regulation (EC) No. 1907/2006 Complies with EL Regulation No. EU 002364190-11-8, G 9002364190-11-8, G 90023641	Item Number	56886
Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials' Complies with EU Regulation 2023/2006/EC of Good Annufacturing Practice Complies with FDA Regulation CFR 21' Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS intentionally added Design Registration No. EU 002364190-1-8, 690023641900001-8 Sox Quantity Countity per Pallet (80 x 120 x approx.180 cm) Countity Per Layer (Pallet) Countity Per Layer (Pallet	Content	6 Litre
Complies with (EC) 1935/2004 on food contact materials' Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS intentionally added Complies with Lala and Kosher PFAS intentionally added P	Material	Polypropylene Stainless Steel (AISI 304)
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS intentionally added Design Registration No. EU 002364190-1-8, G 90023641900001-8 BOX Quantity Complies with Halal and Kosher PFAS intentionally added Design Registration No. EU 002364190-1-8, G 90023641900001-8 BOX Quantity Complies with Halal and Kosher PFAS intentionally added Design Registration No. EU 002364190-1-8, G 90023641900001-8 BOX Quantity FOR QUANTITY COMPLIES WITH STANFORM	Recycling Symbol "5", Polypropylene (PP)	Yes
Annufacturing Practice Complies with FDA Regulation CFR 211 Y Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Y Complies with California Proposition 65 Y Complies with Halal and Kosher PFAS intentionally added Pesign Registration No. EU 002364190-1-8, G 90023641900001-8 Sox Quantity Sox Quantity Sox Quantity For Layer (Pallet) Sox Length/Depth Sox Height Forduct Length/Depth Product Length/Depth Product Length/Depth Product Width Product Width Product Width Product Height Sox George (Recycling symbol "20" PAP) Fordal Tare Weight Consistency C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Year Complies with Halal and Kosher Year Sintentionally added Cosign Registration No. EU 002364190-1-8, George Registration No. EU 0023641900001-8 Sox Quantity Sox Quantity Fer Layer (Pallet) Sox Length/Depth Sox Length/Depth Sox Width Sox Height Froduct Length/Depth Conduct Length/Depth Sox Height Sox Heigh	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS intentionally added Cosign Registration No. Complies with Halal and Kosher PFAS intentionally added Cosign Registration No. Countity Countity	Complies with FDA Regulation CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS intentionally added Design Registration No. EU 0023641900-1-8, George Registration No. EU 0023641900001-8 BOX Quantity Sox Quantity Sox Quantity Countity Per Layer (Pallet) Countity Per Layer (Pallet) Consumer Countity	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS intentionally added Design Registration No. EU 002364190001-8 Box Quantity Sox Quantity Eu antity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Cox Width Croduct Length/Depth Product Length/Depth Product Width Croduct Width Croduct Width Croduct Width Croduct Weight Design Registration No. EU 0023641900001-8 Box Quantity For Layer (Pallet) Along Product Width Croduct Length/Depth Croduct Length/Depth Croduct Width Croduct Weight Design Registration No. EU 0023641900001-8 Box Quantity For Layer (Pallet) Along Product Width Croduct Length/Depth Croduct Length/Depth Croduct Width Croduct Weight Design Registration No. EU 0023641900001-8 EU 002364190001-1-8 EU 0023641900001-1-8 EU 002364190001-1-8 EU 0023641	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS intentionally added Design Registration No. EU 002364190-1-8, George Registration No. Box Quantity Sox Quantity Cuantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Sox Length/Depth Sox Width Croduct Length/Depth Product Length/Depth Product Width Product Height Sox Height Product Height Design Registration No. EU 002364190001-8 Design Registration No. EU 0023641900001-8 Design Registration No. EU 0023641900001-9 Design Registration No. EU 0023641900001-9 Design Registration N	Complies with California Proposition 65	Yes
Design Registration No. EU 002364190-1-8, Gesox Quantity 5 Pountity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Sox Length/Depth Sox Width Croduct Length/Depth Product Length/Depth Product Width Product Height Sox Height Product Height Sox Wight Cotal Tare Weight Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact) EU 002364190-01-8, Gesox 900023641900001-8 EU 0023641900001-8 EU 0023641900001-8 EU 0023641900001-8 5 Poundity Per Layer (Pallet) 40 Poundity Per Layer (Pallet) 4	Complies with Halal and Kosher	Yes
Sox Quantity Per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Sox Length/Depth Sox Width Sox Height Product Length/Depth Product Width Product Height Sot Weight Sox Weight Sox Weight Sox Weight Sox Height Product Width Sox Height Sox Heig	PFAS intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Sox Length/Depth Sox Width Croduct Length/Depth Croduct Length/Depth Croduct Width Croduct Width Croduct Height Set Weight Croduct Height Set Weight Croduct Grecycling symbol "20" PAP) Crotal Tare Weight Crobs Weight Cro	Design Registration No.	EU 002364190-1-8, GB 90023641900001-8
Quantity Per Layer (Pallet) Box Length/Depth Cox Width Cox Height Conduct Length/Depth Conduct Width Comparison of the Weight Comparison of t	Box Quantity	5 Pcs.
Box Length/Depth 275 m Box Width 275 m Box Height 430 m Product Length/Depth 260 m Product Width 260 m Product Height 250 m Net Weight 0.55 Weight cardboard (Recycling symbol "20" PAP) 0.06 Fotal Tare Weight 0.06 Gross Weight 0.61 Cubic metre 0.0169 M Recommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 100	Quantity per Pallet (80 x 120 x approx.180 cm)	160 Pcs
Box Width 275 m Box Height 430 m Product Length/Depth 260 m Product Width 260 m Product Height 250 m Net Weight 0.55 m Neight cardboard (Recycling symbol "20" PAP) 0.06 m Total Tare Weight 0.61 m Bross Weight 0.61 m Bross Weight 0.61 m Bross Weight 0.0169 M Recommended sterilisation temperature (Autoclave) 121 m Max. cleaning temperature (Dishwasher) 93 m Max usage temperature (food contact) 100 m Max usage t	Quantity Per Layer (Pallet)	40 Pcs.
Box Height 430 m Product Length/Depth 260 m Product Width 260 m Product Height 250 m Net Weight 0.55 Weight cardboard (Recycling symbol "20" PAP) 0.06 Fotal Tare Weight 0.06 Foross Weight 0.61 Fotal Cubic metre 0.0169 M Recommended sterilisation temperature (Autoclave) 121 m Max. cleaning temperature (Dishwasher) 93 m Max usage temperature (food contact) 100 m	Box Length/Depth	295 mm
Product Length/Depth 260 m Product Width 260 m Product Height 250 m Net Weight 0.55 Weight cardboard (Recycling symbol "20" PAP) 0.06 Fotal Tare Weight 0.06 Gross Weight 0.61 Cubic metre 0.0169 N Recommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 100	Box Width	275 mm
Product Width 260 m Product Height 250 m Net Weight 0.55 Weight cardboard (Recycling symbol "20" PAP) 0.06 Fotal Tare Weight 0.06 Foress Weight 0.61 Cubic metre 0.0169 M Recommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 100	Box Height	430 mm
Product Height 0.55 Net Weight cardboard (Recycling symbol "20" PAP) 0.06 Potal Tare Weight 0.06 Pross Weight 0.61 Part	Product Length/Depth	260 mm
Neight cardboard (Recycling symbol "20" PAP) Total Tare Weight Cross Weight Cubic metre Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) 0.05 0.06 0.06 0.0169 0.	Product Width	260 mm
Veight cardboard (Recycling symbol "20" PAP)0.06Total Tare Weight0.06Bross Weight0.61Cubic metre0.0169 No.0169 No.01	Product Height	250 mm
Total Tare Weight Cross Weight Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) 100 9	Net Weight	0.55 kg
Cubic metre 0.0169 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 100 %	Weight cardboard (Recycling symbol "20" PAP)	0.06 kg
Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) 100 °	Total Tare Weight	0.06 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) 121 121 121	Gross Weight	0.61 kg
Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) 100	Cubic metre	0.0169 M3
Max usage temperature (food contact)	Recommended sterilisation temperature (Autoclave)	121 °C
	Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (non food contact) 100	Max usage temperature (food contact)	100 °C
	Max usage temperature (non food contact)	100 °C
Alin. usage temperature ³ -20	Min. usage temperature ³	-20 °C
Max. drying temperature 120 °	Max. drying temperature	120 °C
Alin. pH-value in usage concentration 2 p	Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration 10.5 p	Max. pH-value in Usage Concentration	10.5 pH

GTIN-13 Number	5705020568862
GTIN-14 Number (Box quantity)	15705020568869
Customs Tariff Number	39239000
UNSPSC Code	47121804
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.