568877 Bucket, 6 Litre, Lime







This durable 6-litre bucket can be used for cleaning or food storage. The bucket has a wide drip-free spout, a sturdy stainless steel hanger, and a bottom hand grip that is raised from the base and calibrated for a variety of measuring units. The flat side prevents spillage, and the bucket has its own wall bracket (16200) for storage.

Technical Data

Material Polypropylene Stainless Steel (AISI 304) Recycling Symbol "5", Polypropylene (PP) Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with FDA Regulation CFR 21' Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS Intentionally added No Design Registration No. EU 002364190-1-8, GB 9002364190001-8 Box Quantity 5 Pes. Quantity per Pallet (80 x 120 x approx.180 cm) 160 Pes Quantity Per Layer (Pallet) 40 Pcs. Box Width 275 mm Box Width 275 mm Product Length/Depth 260 mm Product Length/Depth 260 mm Product Height 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Goross Weight 0.61 kg Cubic metre 0.0169 kg Cubic metre 0.016 kg	Item Number	568877
Steel (AiSI 304) Recycling Symbol "5", Polypropylene (PP) Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with FDA Regulation 2C82/2006/EC of Good Yes Complies with FDA Regulation CFR 21' Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS intentionally added No Design Registration No. EU 002364190-1-8, GB 9002364190-0-18, GB 9002364190-0-18, GB 9002364190-000-18 Box Quantity 5 Pes. Quantity per Pallet (80 x 120 x approx.180 cm) 160 Pes Quantity Per Layer (Pallet) 40 Pcs. Box Width 275 mm Box Height 260 mm Product Length/Depth 260 mm Product Width 260 mm Product Height 0.55 kg Weight cardboard (Recycling symbol "20" PAP) 0.06 kg Complies with FLOR 0.016 kg Complies with FLOR 0.016 kg Complies with FLOR 0.016 kg Couse with Person 0.016 kg	Content	6 Litre
Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Complies with EU Regulation CFR 21' Yes Complies with V2 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS intentionally added No Design Registration No. EU 002364190-14.8, GB 9002364190001-8 Box Quantity 5 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 295 mm Box Width 275 mm Box Width 275 mm Product Length/Depth 260 mm Product Height 0.55 kg Veight cardboard (Recycling symbol "20" PAP) 0.06 kg Gross Weight 0.61 kg Cubic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dos contact) 100 °C Max. cleaning temperature (non food contact) 100 °C Max. usage temperature -20 °C </th <th>Material</th> <th></th>	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 0023641900-1-8, GBBox Quantity5 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)160 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth295 mmBox Width275 mmBox Height430 mmProduct Length/Depth260 mmProduct Length/Depth260 mmProduct Width0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (non food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature20 °CMin. pH-value in usage concentration2 pH	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA Regulation CFR 211 Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS intentionally added No Design Registration No. EU 002364190-1-8, GB 9002364190001-8 Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 160 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length/Depth 295 mm Box Width 275 mm Box Kidth 275 mm Product Length/Depth 260 mm Product Width 260 mm Product Width 0.55 kg Weight 0.55 kg Weight 0.56 kg Gross Weight 0.61 kg Coluic metre 0.0169 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Max. drying temperature -20 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 002364190.001-8Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)160 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth295 mmBox Width275 mmBox Klight430 mmProduct Length/Depth260 mmProduct Length/Depth250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (food contact)100 °CMin. usage temperature-20 °CMax. drying temperature22 pH		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 002364190-1-8, GB9002364190001-8SPcs.Quantity per Pallet (80 x 120 x approx.180 cm)160 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth295 mmBox Width275 mmBox Height430 mmProduct Length/Depth260 mmProduct Length/Depth260 mmProduct Height0.55 kgWeight0.55 kgWeight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Ioshwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage concentration2 pH	Complies with FDA Regulation CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 002364190-1-8, GBg002364190001-8S Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)160 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth295 mmBox Width275 mmBox Height430 mmProduct Length/Depth260 mmProduct Length/Depth260 mmProduct Width260 mmProduct Width0.55 kgWeight0.55 kgWeight0.06 kgGross Weight0.016 pdQuit metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 002364190-1-8, GB 90023641900001-8Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)160 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth295 mmBox Width275 mmBox Height430 mmProduct Length/Depth260 mmProduct Length/Depth260 mmProduct Height0.55 kgWeight0.55 kgWeight0.06 kgGross Weight0.016 pdQuantity ere0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Ioishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFASintentionally addedNoDesign Registration No.EU 0023641900-1-8, GB 90023641900001-8Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)160 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth295 mmBox Width275 mmBox Height430 mmProduct Length/Depth260 mmProduct Height0.55 kgWeight0.55 kgWeight0.06 kgTotal Tare Weight0.016 pdQubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Complies with California Proposition 65	Yes
Design Registration No.EU 002364190-1-8, GB 9002364190001-8Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)160 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth295 mmBox Width275 mmBox Height430 mmProduct Length/Depth260 mmProduct Height250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgGross Weight0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Complies with Halal and Kosher	Yes
90023641900001-8Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)160 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth295 mmBox Width275 mmBox Height430 mmProduct Length/Depth260 mmProduct Height250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgGross Weight0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	PFAS intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm)160 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length/Depth295 mmBox Width275 mmBox Height430 mmProduct Length/Depth260 mmProduct Length/Depth260 mmProduct Width250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTotal Tare Weight0.06 kgGross Weight0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Design Registration No.	
Quantity Per Layer (Pallet)40 Pcs.Box Length/Depth295 mmBox Width275 mmBox Height430 mmProduct Length/Depth260 mmProduct Width260 mmProduct Height250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTotal Tare Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Quantity	5 Pcs.
Box Length/Depth295 mmBox Width275 mmBox Height430 mmProduct Length/Depth260 mmProduct Width260 mmProduct Height250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTotal Tare Weight0.06 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Quantity per Pallet (80 x 120 x approx.180 cm)	160 Pcs
Box Width275 mmBox Height430 mmProduct Length/Depth260 mmProduct Width260 mmProduct Height250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTotal Tare Weight0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Quantity Per Layer (Pallet)	40 Pcs.
Box Height430 mmProduct Length/Depth260 mmProduct Width260 mmProduct Height250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTotal Tare Weight0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Length/Depth	295 mm
Product Length/Depth260 mmProduct Width260 mmProduct Height250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTotal Tare Weight0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Width	275 mm
Product Width260 mmProduct Height250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTotal Tare Weight0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Height	430 mm
Product Height250 mmNet Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTotal Tare Weight0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Product Length/Depth	260 mm
Net Weight0.55 kgWeight cardboard (Recycling symbol "20" PAP)0.06 kgTotal Tare Weight0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Product Width	260 mm
Weight cardboard (Recycling symbol "20" PAP)0.06 kgTotal Tare Weight0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Product Height	250 mm
Total Tare Weight0.06 kgGross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Net Weight	0.55 kg
Gross Weight0.61 kgCubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.06 kg
Cubic metre0.0169 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Total Tare Weight	0.06 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Gross Weight	0.61 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.0169 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pH	Min. usage temperature ³	-20 °C
	Max. drying temperature	120 °C
Max. pH-value in Usage Concentration10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

GTIN-13 Number	5705022014473
GTIN-14 Number (Box quantity)	15705028014481
Customs Tariff Number	39239000
UNSPSC Code	47121804
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.