56112 Ergonomic shovel, 271 mm, Green





Use this durable Ergonomic Shovel to move large amounts of food waste or food ingredients. Ergonomically designed with the user's working position in mind, this product is ideal for working at floor level as well as shovelling from container to container.

Technical Data

Shovel Blade Size, L x W x H340 x 270 x 75 mmMaterialPolypropylene Anodised AluminiumComplies with (EC) 1935/2004 on food contact materials'YesProduced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.UtK 2072052Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.068376 M3Recommended sterillisation temperature (Autoclave)121 "CMax usage temperature (food contact)100 "CMax usage temperature (non food contact)100 "CMax usage temperature (non food contact)0.0 C"Min. usage concentration2 pHMax. pH-value in usage concentration2 pHMax. pH-value in usage concentration2 pHMax. pH-value in usage concentration39241000Country of originDemark	Item Number	56112
Anodised AluminiumComplies with (EC) 1935/2004 on food contact materials!YesProduced according to EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesEDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.UK 2072052Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.068936 M3Recommended sterillsation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax usage temperature food contact)100 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration3 9241000	Shovel Blade Size, L x W x H	340 x 270 x 75 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.UK 2072052Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature200 °CMax. pH-value in usage concentration2 pHMax. Data39241000	Material	
Manufacturing PracticeFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.UK 2072052Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMi. usage temperature200 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration3 9241000	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.UK 2072052Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Doct ocntact)100 °CMin. usage temperature (Doct ocntact)100 °CMin. usage temperature (Dishwasher)93 °CMax. drying temperature20 °CMax. drying temperature20 °CMax. drying temperature20 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration3 p241000		Yes
Meets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.UK 2072052Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNe Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (Dishwasher)20 °CMax. drying temperature2.0 °CMax. drying temperature2.0 °CMax. pl-value in usage concentration2 pHMax. pl-value in Usage Concentration3 9241000	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.UK 2072052Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature (Not contact)100 °CMax. drying temperature20 °CMax. pl-value in usage concentration2 pHMax. pl-value in Usage Concentration3 9241000	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliantYesDesign Registration No.UK 2072052Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterillsation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration3 9241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No.UK 2072052Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration3 924100	Use of phthalates and bisphenol A	No
Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage concentration2 PHMax. pH-value in usage concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm)60 PcsQuantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin.13 Number5705020561122Customs Tariff No.39241000	Design Registration No.	UK 2072052
Quantity Per Layer (Pallet)0 Pcs.Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Box Quantity	1 Pcs.
Length1280 mmWidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration39241000	Quantity per Pallet (80 x 120 x 200 cm)	60 Pcs
Vidth271 mmHeight200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Quantity Per Layer (Pallet)	0 Pcs.
Height200 mmNet Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature100 °CMin. usage temperature120 °CMax. drying temperature120 °CMax. drying temperature120 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Length	1280 mm
Net Weight1.56 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Width	271 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene0.053 kg(LDPE)0.1748 kgTare total0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Height	200 mm
(LDPE)Weight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Net Weight	1.56 kg
Tare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000		0.053 kg
Gross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature 3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Weight cardboard	0.1748 kg
Cubik metre0.069376M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Tare total	0.2278 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Gross Weight	1.79 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Cubik metre	0.069376 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561122Customs Tariff No.39241000	Max. drying temperature	120 °C
Gtin-13 Number 5705020561122 Customs Tariff No. 39241000	Min. pH-value in usage concentration	2 pH
Customs Tariff No. 39241000	Max. pH-value in Usage Concentration	10.5 pH
	Gtin-13 Number	5705020561122
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.