Padholder, 230 mm, , White





Secure cleaning pads with a lockable pad holder. Can be used with any Vikan handle, enabling users to safely clean floors, under equipment, stainless steel mezzanines, and white PVC walls.

Technical Data

| Height 75 mm Net Weight 0.234 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0047 kg | Item Number | 55005 |
|---|---|----------------------------|
| Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials No Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of pithalates and bisphenol A Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length 230 mm Width 95 mm Net Weight Not Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Quantity Gross Weight Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Inon food contact) Min. usage temperature Max. drying temperature Max. drying temperature Max. pH-value in usage Concentration 8 pH Gtin-13 Number 5705020055000 Customs Tariff No. 39241000 Customs Tariff No. | Material | Stainless Steel (AISI 304) |
| Manufacturing Practice Yes Complies with UK 2019 No. 704 on food contact materials No Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1040 Pcs Quantity Per Layer (Pallet) 80 Pcs. Length 230 mm Width 95 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0047 kg Weight cardboard 0.0227 kg Tare total 0.0274 kg Gross Weight 0.26 kg Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 20 °C Max. ph-value in usage concentration 8 pH Gtin-13 Number 5705020055000 Customs Tariff No. 39241000 | Complies with (EC) 1935/2004 on food contact materials ¹ | No |
| Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Quantity per Layer (Pallet) Length 230 mm Width 95 mm Height 75 mm Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.027 kg Gross Weight Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 8 pH Gtin-13 Number 5705020055000 Customs Tariff No. 39241000 Customs Tariff No. | | Yes |
| Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1040 Pcs Quantity Per Layer (Pallet) 80 Pcs. Length 230 mm Width 95 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0047 kg Weight cardboard 0.0227 kg Gross Weight 0.26 kg Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055000 Customs Tariff No. 39241000 | FDA compliant raw material (CFR 21) | Yes |
| Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1040 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 230 mm Width 95 mm Height 75 mm Net Weight 0.234 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0047 kg Weight cardboard 0.0227 kg Tare total 0.0274 kg Gross Weight 0.26 kg Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 2 °C Max. drying temperature 2 °C Max. drying temperature 2 °C Min. pH-value in usage concentration 8 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 570 | Complies with UK 2019 No. 704 on food contact materials | No |
| S Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1040 Pcs Quantity Per Layer (Pallet) 80 Pcs. Length 230 mm Width 95 mm Height 75 mm Net Weight 0.234 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.0227 kg Tare total 0.0274 kg Gross Weight 0.26 kg Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055000 Customs Tariff No. 39241000 | Meets the REACH Regulation (EC) No. 1907/2006 | Yes |
| Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1040 Pcs Quantity Per Layer (Pallet) 80 Pcs. Length 230 mm Width 95 mm Height 75 mm Net Weight 0.234 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0047 kg Weight cardboard 0.0227 kg Tare total 0.0274 kg Gross Weight 0.26 kg Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Max. pH-value in usage concentration 8 pH Gtin-13 Number 5705020055000 Customs Tariff No. 39241000 | Use of phthalates and bisphenol A | No |
| Quantity per Pallet (80 x 120 x 200 cm) 1040 Pcs Quantity Per Layer (Pallet) 80 Pcs. Length 230 mm Width 95 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0047 kg Weight cardboard 0.0227 kg Tare total 0.0274 kg Gross Weight 0.26 kg Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055003 GTIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. 39241000 | Is Halal and Kosher compliant | Yes |
| Quantity Per Layer (Pallet) 80 Pcs. Length 230 mm Width 95 mm Height 75 mm Net Weight 0.234 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0047 kg Weight cardboard 0.0227 kg Tare total 0.0274 kg Gross Weight 0.26 kg Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055003 GTIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. 39241000 | Box Quantity | 10 Pcs. |
| Length 230 mm Width 95 mm Height 75 mm Net Weight 0.234 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0047 kg Weight cardboard 0.0227 kg Tare total 0.0274 kg Gross Weight 0.26 kg Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055003 GTIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. 39241000 | Quantity per Pallet (80 x 120 x 200 cm) | 1040 Pcs |
| Width 95 mm Height 75 mm Net Weight 0.234 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0047 kg Weight cardboard 0.0227 kg Tare total 0.0274 kg Gross Weight 0.26 kg Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055003 GTIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. 39241000 | Quantity Per Layer (Pallet) | 80 Pcs. |
| Height 75 mm Net Weight 0.234 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0047 kg Weight cardboard 0.0227 kg Tare total 0.0274 kg Gross Weight 0.26 kg Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055003 GTIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. 39241000 | Length | 230 mm |
| Net Weight 0.234 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0047 kg Weight cardboard 0.0227 kg Tare total 0.0274 kg Gross Weight 0.26 kg Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055003 GTIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. 39241000 | Width | 95 mm |
| Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0047 kg Weight cardboard 0.0227 kg Tare total 0.0274 kg Gross Weight 0.26 kg Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055000 GTIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. 39241000 | Height | 75 mm |
| Weight cardboard 0.0227 kg Tare total 0.0274 kg Gross Weight 0.26 kg Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055000 GTIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. 39241000 | Net Weight | 0.234 kg |
| Tare total 0.0274 kg Gross Weight 0.26 kg Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 2 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055000 Customs Tariff No. 39241000 | Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) | 0.0047 kg |
| Gross Weight 0.26 kg Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055000 GtIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. 39241000 | Weight cardboard | 0.0227 kg |
| Cubik metre 0.001639 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055000 GTIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. 39241000 | Tare total | 0.0274 kg |
| Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020055003GTIN-14 Number (Box quantity)15705020055000Customs Tariff No.39241000 | Gross Weight | 0.26 kg |
| Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020055003GTIN-14 Number (Box quantity)15705020055000Customs Tariff No.39241000 | Cubik metre | 0.001639 M3 |
| Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020055003GTIN-14 Number (Box quantity)15705020055000Customs Tariff No.39241000 | Recommended sterilisation temperature (Autoclave) | 121 °C |
| Max usage temperature (non food contact) Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055003 GTIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. | Max. cleaning temperature (Dishwasher) | 93 °C |
| Min. usage temperature ³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055003 GTIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. 39241000 | Max usage temperature (food contact) | 100 °C |
| Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHGtin-13 Number5705020055003GTIN-14 Number (Box quantity)15705020055000Customs Tariff No.39241000 | Max usage temperature (non food contact) | 100 °C |
| Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055003 GTIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. 39241000 | Min. usage temperature ³ | -20 °C |
| Max. pH-value in Usage Concentration 8 pH Gtin-13 Number 5705020055003 GTIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. 39241000 | Max. drying temperature | 120 °C |
| Gtin-13 Number 5705020055003 GTIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. 39241000 | Min. pH-value in usage concentration | 2 pH |
| GTIN-14 Number (Box quantity) 15705020055000 Customs Tariff No. 39241000 | Max. pH-value in Usage Concentration | 8 pH |
| Customs Tariff No. 39241000 | Gtin-13 Number | 5705020055003 |
| Customs Tariff No. 39241000 | GTIN-14 Number (Box quantity) | 15705020055000 |
| Country of origin Lithuania | | 39241000 |
| | Country of origin | Lithuania |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.