## Ergonomic shovel, 345 mm, White





Use this durable Ergonomic Shovel to move large amounts of food waste or food ingredients. Ergonomically designed with the user's working position in mind, this product is ideal for working at floor level as well as shovelling from container to container.

## **Technical Data**

Shovel Blade Size, L x W x H         380 x 340 x 90 mm           Material         Polypropylene Anodised Aluminium           Complies with (EC) 1935/2004 on food contact materials¹         Yes           Produced according to EU Regulation 2023/2006/EC of Good Banufacturing Practice         Yes           FDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Design Registration No.         UK 2072052           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs.           Length         1310 mm           Width         345 mm           Height         225 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.053 kg           Weight cardboard         0.1748 kg           Gross Weight         2.09 kg           Cubik metre         0.101689 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         20 °C	Item Number	56015
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 1310 mm Width 1345 mm Height 225 mm Net Weight 1.86 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight acrdboard 7.1748 kg Gross Weight 7.209 kg Cubik metre 7.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 100 °C Max usage temperature (Dishwasher) 100 °C Max usage temperature (Dishwasher) 100 °C Max. drying temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020560156 Customs Tariff No. 39241000	Shovel Blade Size, L x W x H	380 x 340 x 90 mm
Produced according to EU Regulation 2023/2008/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Wes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Guantity Per Layer (Pallet) 0 Pcs. Length 1310 mm Width 1345 mm Height 225 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 1.748 kg Gross Weight 2.09 kg Cubik metre 0.101689 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Ino food contact) 100 °C Max. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020560156 Customs Tariff No. 39241000	Material	
Manufacturing Practice         FDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Design Registration No.         UK 2072052           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs.           Length         1310 mm           Width         345 mm           Height         225 mm           Net Weight         1.86 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.053 kg           Weight cardboard         0.1748 kg           Tare total         0.2278 kg           Gross Weight         2.09 kg           Cubik metre         0.101689 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         20 °C           Min. usage temperature         20 °C	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials       Yes         Meets the REACH Regulation (EC) No. 1907/2006       Yes         Use of phthalates and bisphenol A       No         Is Halal and Kosher compliant       Yes         Design Registration No.       UK 2072052         Box Quantity       1 Pcs.         Quantity per Pallet (80 x 120 x 200 cm)       60 Pcs.         Quantity Per Layer (Pallet)       0 Pcs.         Length       1310 mm         Width       345 mm         Height       225 mm         Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)       0.53 kg         Weight cardboard       0.1748 kg         Tare total       0.2278 kg         Gross Weight       2.09 kg         Cubik metre       0.101689 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (non food contact)       100 °C         Min. usage temperature       100 °C         Max. drying temperature       2 pt         Max. drying temperature       2 pt         Min. pH-value in Usage Concentration       10.5 pt         Gtin-13 Number       5705020560156		Yes
Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Design Registration No.         UK 2072052           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs.           Length         1310 mm           Width         345 mm           Height         225 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.053 kg           Weight cardboard         0.1748 kg           Gross Weight         2.09 kg           Gubik metre         0.101689 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         2 pH           Max. drying temperature         2 pH           Max. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         5705020560156           Customs Tariff No.         39241000 </td <td>FDA compliant raw material (CFR 21)</td> <td>Yes</td>	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Design Registration No.         UK 2072052           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs.           Length         1310 mm           Width         345 mm           Height         225 mm           Net Weight         1.86 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.053 kg           Weight cardboard         0.1748 kg           Tare total         0.2278 kg           Gross Weight         2.09 kg           Cubik metre         0.101689 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Food contact)         100 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature         20 °C           Max. drying temperature         2 pH           Max. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         5705020560156           Customs Tariff No.         39241000	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant         Yes           Design Registration No.         UK 2072052           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs.           Length         1310 mm           Width         345 mm           Height         225 mm           Net Weight         1.86 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.053 kg           Weight cardboard         0.1748 kg           Tare total         0.2278 kg           Gross Weight         2.09 kg           Cubik metre         0.101689 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         2 °C           Max. drying temperature         2 °C           Min. pH-value in usage concentration         2 °C           Min. pH-value in Usage Concentration         5705020560156           Customs Tariff No.         39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No.         UK 2072052           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs.           Length         1310 mm           Width         345 mm           Height         225 mm           Net Weight         1.86 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.053 kg           Weight cardboard         0.1748 kg           Tare total         0.2278 kg           Gross Weight         2.09 kg           Cubik metre         0.101689 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         20 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         5705020560156           Customs Tariff No.         39241000	Use of phthalates and bisphenol A	No
Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs.           Length         1310 mm           Width         345 mm           Height         225 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.053 kg           Weight cardboard         0.1748 kg           Tare total         0.2278 kg           Gross Weight         2.09 kg           Cubik metre         0.101689 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         5705020560156           Customs Tariff No.         39241000	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs           Length         1310 mm           Width         345 mm           Height         225 mm           Net Weight         1.86 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.053 kg           Weight cardboard         0.1748 kg           Tare total         0.2278 kg           Gross Weight         2.09 kg           Cubik metre         0.101689 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         5705020560156           Customs Tariff No.         39241001	Design Registration No.	UK 2072052
Quantity Per Layer (Pallet)         0 Pcs.           Length         1310 mm           Width         345 mm           Height         225 mm           Net Weight         1.86 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.053 kg           Weight cardboard         0.1748 kg           Tare total         0.2278 kg           Gross Weight         2.09 kg           Cubik metre         0.101689 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020560156           Customs Tariff No.         39241000	Box Quantity	1 Pcs.
Length         1310 mm           Width         345 mm           Height         225 mm           Net Weight         1.86 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.053 kg           Weight cardboard         0.1748 kg           Tare total         0.2278 kg           Gross Weight         2.09 kg           Cubik metre         0.101689 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020560156           Customs Tariff No.         39241000	Quantity per Pallet (80 x 120 x 200 cm)	60 Pcs
Width         345 mm           Height         225 mm           Net Weight         1.86 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.053 kg           Weight cardboard         0.1748 kg           Tare total         0.2278 kg           Gross Weight         2.09 kg           Cubik metre         0.101689 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020560156           Customs Tariff No.         39241000	Quantity Per Layer (Pallet)	0 Pcs.
Height         225 mm           Net Weight         1.86 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.053 kg           Weight cardboard         0.1748 kg           Tare total         0.2278 kg           Gross Weight         2.09 kg           Cubik metre         0.101689 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020560156           Customs Tariff No.         39241000	Length	1310 mm
Net Weight         1.86 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.053 kg           Weight cardboard         0.1748 kg           Tare total         0.2278 kg           Gross Weight         2.09 kg           Cubik metre         0.101689 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020560156           Customs Tariff No.         39241000	Width	345 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight2.09 kgCubik metre0.101689 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020560156Customs Tariff No.39241000	Height	225 mm
Weight cardboard         0.1748 kg           Tare total         0.2278 kg           Gross Weight         2.09 kg           Cubik metre         0.101689 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020560156           Customs Tariff No.         39241000	Net Weight	1.86 kg
Tare total         0.2278 kg           Gross Weight         2.09 kg           Cubik metre         0.101689 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature³         -20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020560156           Customs Tariff No.         39241000		0.053 kg
Gross Weight 2.09 kg  Cubik metre 0.101689 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 100 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature (non food contact) 100 °C  Max. drying temperature 120 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020560156  Customs Tariff No. 39241000	Weight cardboard	0.1748 kg
Cubik metre0.101689 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020560156Customs Tariff No.39241000	Tare total	0.2278 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020560156Customs Tariff No.39241000	Gross Weight	2.09 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020560156Customs Tariff No.39241000	Cubik metre	0.101689 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020560156Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020560156Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  5705020560156  Customs Tariff No.  39241000	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020560156Customs Tariff No.39241000	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020560156Customs Tariff No.39241000	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020560156Customs Tariff No.39241000	Max. drying temperature	120 °C
Gtin-13 Number         5705020560156           Customs Tariff No.         39241000	Min. pH-value in usage concentration	2 pH
Customs Tariff No. 39241000	Max. pH-value in Usage Concentration	10.5 pH
	Gtin-13 Number	5705020560156
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.