56869 Bucket, 12 Litre, Black







This award-winning bucket is ideal for transporting cleaning chemicals and both hot and cold ingredients. It has a drip-free spout, a hand grip that is raised from the base, and a sturdy stainless steel handle. It is also calibrated for a variety of measuring units. The flat side prevents spillage and the bucket has its own wall bracket, 16200, for storage.

Technical Data

Complies with (EC) 1935/2004 on food contact materials1YesComplies with EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesComplies with FDA Regulation CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65Yes	Item Number	56869
Steel (AISI 304) Recycling Symbol "S", Polypropylene (PP) Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with FDA Regulation CFR 211 Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS. intentionally added No Design Registration No. EU 000427117-1-3, GB900427117001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 90 Pcs Quantity Per Layer (Pallet) 18 Pcs. Box Kieth 320 mm Product Length/Depth 320 mm Product Length/Depth 320 mm Product Height 1.09 kg Gross Weight 1.09 kg Cotal care weight 0.09 kg Gross Weight 1.09 kg Cotal care weight emperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max. cleaning temperature -20 °C Max. dr	Content	12 Litre
Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Complies with EU Regulation CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Por Layer (Pallet) No Design Registration No. EU 000427117-1-3, GB9004271170001-003 Box Quantity Per Layer (Pallet) 18 Pes. Box Length/Depth 740 mm Box Length/Depth 320 mm Product Length/Depth 320 mm Product Width 320 mm Product Height 11 kg Weight cardboard (Recycling symbol "20" PAP) 0.09 kg Cotal Tare Weight 0.09 kg Cotal Tare Weight 1.09 kg Cubic metre 0.031744 M3 Reco	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation CFR 211YesComplies with UX 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 000427117-1-3, GB900427117001-003Box Quantity6 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)90 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length/Depth740 mmBox Width340 mmBox Width320 mmProduct Length/Depth320 mmProduct Length/Depth100 mkNet Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgGross Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practiče Complies with FDA Regulation CFR 21' Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS Intentionally added No Design Registration No. EU 000427117-1-3, GB9004271170001-003 Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 90 Pcs Quantity Per Layer (Pallet) 18 Pcs. Box Length/Depth 740 mm Box Width 340 mm Box Vidth 320 mm Product Length/Depth 320 mm Product Width 320 mm Product Height 1 kg Weight cardboard (Recycling symbol "20" PAP) 0.09 kg Cobic metre 0.031744 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 000427117-1-3, GB9004271170001-003Box Quantity6 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)90 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length/Depth740 mmBox Width340 mmBox Width320 mmProduct Length/Depth320 mmProduct Length/Depth1 kgWeight1 kgWeight1 kgWeight0.09 kgGross Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature22 pH	• •	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 000427117-1-3, GB9004271170001-003Box Quantity6 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)90 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length/Depth740 mmBox Width340 mmBox Width320 mmProduct Length/Depth320 mmProduct Length/Depth1 kgWeight1 kgOuspit0.09 kgTotal Tare Weight0.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (loshwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Complies with FDA Regulation CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS Intentionally addedNoDesign Registration No.EU 000427117-0.3, GB9004271170001-003Box Quantity6 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)90 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length/Depth740 mmBox Width340 mmBox Kith320 mmProduct Length/Depth320 mmProduct Length/Depth320 mmProduct Width320 mmNet Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS intentionally addedNoDesign Registration No.EU 000427117-13, GB9004271170001-003Box Quantity6 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)90 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length/Depth740 mmBox Width340 mmBox Height320 mmProduct Length/Depth320 mmProduct Length/Depth320 mmProduct Width320 mmProduct Height11 kgWeight1 kgWeight1 kgWeight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature-20 °CMin. pH-value in usage concentration2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS intentionally addedNoDesign Registration No.EU 000427117-0.3 GB9004271170001-003Box Quantity6 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)90 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length/Depth740 mmBox Width340 mmBox Height320 mmProduct Length/Depth320 mmProduct Length/Depth310 mmNet Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgGross Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Complies with California Proposition 65	Yes
Design Registration No.EU 000427117-1-3, GB9004271170001-003Box Quantity6 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)90 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length/Depth740 mmBox Width340 mmBox Height320 mmProduct Length/Depth320 mmProduct Height310 mmNet Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (non food contact)100 °CMax. drying temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Complies with Halal and Kosher	Yes
GB9004271170001-003Box Quantity6 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)90 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length/Depth740 mmBox Width340 mmBox Height320 mmProduct Length/Depth320 mmProduct Height310 mmNet Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMax. drying temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	PFAS intentionally added	No
Quantity per Pallet (80 x 120 x approx.180 cm)90 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length/Depth740 mmBox Width340 mmBox Height320 mmProduct Length/Depth320 mmProduct Length/Depth320 mmProduct Height310 mmNet Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgTotal Tare Weight1.09 kgGross Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Design Registration No.	
Quantity Per Layer (Pallet)18 Pcs.Box Length/Depth740 mmBox Width340 mmBox Width320 mmProduct Length/Depth320 mmProduct Length/Depth320 mmProduct Height310 mmNet Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgTotal Tare Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Quantity	6 Pcs.
Box Length/Depth740 mmBox Width340 mmBox Width320 mmProduct Length/Depth320 mmProduct Width320 mmProduct Height310 mmNet Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgTotal Tare Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Quantity per Pallet (80 x 120 x approx.180 cm)	90 Pcs
Box Width340 mmBox Height320 mmProduct Length/Depth320 mmProduct Width320 mmProduct Height310 mmNet Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgTotal Tare Weight0.09 kgGross Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Quantity Per Layer (Pallet)	18 Pcs.
Box Height320 mmProduct Length/Depth320 mmProduct Width320 mmProduct Height310 mmNet Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgTotal Tare Weight0.09 kgGross Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Length/Depth	740 mm
Product Length/Depth320 mmProduct Width320 mmProduct Height310 mmNet Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgTotal Tare Weight0.09 kgGross Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Width	340 mm
Product Width320 mmProduct Height310 mmNet Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgTotal Tare Weight0.09 kgGross Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Height	320 mm
Product Height310 mmNet Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgTotal Tare Weight0.09 kgGross Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Product Length/Depth	320 mm
Net Weight1 kgWeight cardboard (Recycling symbol "20" PAP)0.09 kgTotal Tare Weight0.09 kgGross Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Product Width	320 mm
Weight cardboard (Recycling symbol "20" PAP)0.09 kgTotal Tare Weight0.09 kgGross Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Product Height	310 mm
Total Tare Weight0.09 kgGross Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature 3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Net Weight	1 kg
Gross Weight1.09 kgCubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.09 kg
Cubic metre0.031744 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Total Tare Weight	0.09 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Gross Weight	1.09 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.031744 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pH	Min. usage temperature ³	-20 °C
	Max. drying temperature	120 °C
Max. pH-value in Usage Concentration10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

GTIN-13 Number	5705020568695
GTIN-14 Number (Box quantity)	15705020568692
Customs Tariff Number	39239000
UNSPSC Code	47121804
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.