## Stainless Steel Scraper with Threaded Handle, 50 mm, Blue





Good for removing sticky, semi-liquid deposit, like dough, confectionary gels/pastes, soft chocolate, cheese etc. as these would clog a brush very quickly. Is good for removing dried or burnt on deposits, like hardened chocolate, caramel, dried/burnt bakery debris, compacted dried powders or powders that have become stuck to a surface, dried/burnt meat, fish or vegetable deposits etc. because they enable the user to exert more mechanical force against the dried on soil than can be achieved with a brush.

## **Technical Data**

Quantity Per Layer (Pallet)  Length  Width  Height  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP)  Tare total 0.0  Gross Weight  Cubik metre 0.00  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (non food contact)  Min. usage temperature  Min. usage temperature  Min. pH-value in usage concentration	40103
Stainless S 301)  Complies with (EC) 1935/2004 on food contact materials¹  Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  California Proposition 65 Compliant  Use of phthalates and bisphenol A Is Halal and Kosher compliant  Box Quantity  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Length  Width  Height  Net Weight  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Cubik metre  0.00  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature  Min. usage temperature  Min. pH-value in usage concentration	1 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  California Proposition 65 Compliant  Use of phthalates and bisphenol A  Is Halal and Kosher compliant  Box Quantity  Quantity Per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Length  Width  Height  Net Weight  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP)  Tare total 0.  Gross Weight  Cubik metre 0.00  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Min. usage temperature  Min. pH-value in usage concentration	
Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  California Proposition 65 Compliant  Use of phthalates and bisphenol A  Is Halal and Kosher compliant  Box Quantity  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Length  Width  Height  Net Weight  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP)  Tare total 0.00  Gross Weight  Cubik metre 0.00  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (non food contact)  Min. usage temperature  Min. pH-value in usage concentration	Yes
Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  California Proposition 65 Compliant  Use of phthalates and bisphenol A  Is Halal and Kosher compliant  Box Quantity  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Length  Width  Height  Net Weight  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP)  Tare total 0.  Gross Weight  Cubik metre 0.00  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Min. usage temperature  Min. usage temperature  Min. pH-value in usage concentration	Yes
Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total 0. Gross Weight Cubik metre 0.00 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration	Yes
California Proposition 65 Compliant Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total 0. Gross Weight Cubik metre 0.00 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration	Yes
Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total 0. Gross Weight Cubik metre 0.00 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration	Yes
Is Halal and Kosher compliant  Box Quantity  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Length  Width  Height  Net Weight  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP)  Tare total 0.00  Gross Weight  Cubik metre 0.00  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Min. usage temperature  Min. pH-value in usage concentration	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Length  Width  Height  Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP)  Tare total 0.  Gross Weight  Cubik metre 0.00  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (non food contact)  Min. usage temperature  Min. pH-value in usage concentration	No
Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Length  Width  Height  Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP)  Tare total 0.  Gross Weight  Cubik metre 0.00  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (non food contact)  Min. usage temperature  Min. usage temperature  Min. pH-value in usage concentration	Yes
Quantity Per Layer (Pallet)  Length  Width  Height  Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE)  Weight cardboard (Recycling symbol "20" PAP)  Tare total 0.000  Gross Weight  Cubik metre 0.000  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Min. usage temperature  Min. usage temperature  Min. pH-value in usage concentration	10 Pcs.
Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total 0. Gross Weight Cubik metre 0.00 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration	3150 Pcs
Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total 0. Gross Weight Cubik metre 0.00 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration	150 Pcs.
Height  Net Weight  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP)  Tare total 0.  Gross Weight  Cubik metre 0.00  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Min. pH-value in usage concentration	205 mm
Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total O. Gross Weight Cubik metre O.00 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration	50 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP)  Tare total 0.  Gross Weight  Cubik metre 0.00  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  Min. pH-value in usage concentration	32 mm
Weight cardboard (Recycling symbol "20" PAP)  Tare total 0.  Gross Weight  Cubik metre 0.00  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  Max. drying temperature  Min. pH-value in usage concentration	0.08 kg
Tare total  Gross Weight  Cubik metre  0.00  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  Max. drying temperature  Min. pH-value in usage concentration	00402 kg
Gross Weight  Cubik metre 0.00  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  Max. drying temperature  Min. pH-value in usage concentration	0.006 kg
Cubik metre  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  Max. drying temperature  Min. pH-value in usage concentration	01002 kg
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  Max. drying temperature  Min. pH-value in usage concentration	0.09 kg
Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature <sup>3</sup> Max. drying temperature  Min. pH-value in usage concentration	00328 M3
Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  Max. drying temperature  Min. pH-value in usage concentration	121 °C
Max usage temperature (non food contact)  Min. usage temperature³  Max. drying temperature  Min. pH-value in usage concentration	93 °C
Min. usage temperature³ Max. drying temperature Min. pH-value in usage concentration	200 °C
Max. drying temperature Min. pH-value in usage concentration	200 °C
Min. pH-value in usage concentration	-20 °C
	120 °C
Max. nH value in Usage Concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number 570502	0401039
GTIN-14 Number (Box quantity) 1570502	20401036
Customs Tariff No.	32159910

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.